Author Index to Volumes 35 and 36

Please note that A refers to Volume 35 and B refers to Volume 36.

Abdel-Bary, E. M.
—; Sarhan, A. A., Abdel-Razik, H. H.: Effect of Graft Copolymerization of 2-Hydroxyethyl Methacrylate on the Properties of Polyester Fibers and Fabric, 439A
Abdel-Hafiz, S. A. See Hebeish, A., 191B
Abd-El-Nour, K. N. See Rabie, S. M., 1701B
Abdel-Razik, H. H. See Abdel-Bary, E. M., 439A
Abdi-Halabi, M.
—; Lahalih, S. M.: Water-Soluble Sulfonated Melamine–Oxytriazine Resins: Synthesis and Properties as Dispersants, 1B
Achilias, D.
—; Kiparissides, C.: Modeling of Diffusion-Controlled Free-Radical Polymerization Reactions, 1303A
Adhikari, M. S. See Sarkar, S., 1441A, 1865B
Adnot, A. See Ahmed, A., 1909A
Agarwal, R. See Gonsalves, K. E., 1659B
Ahmed, A.
—; Adnot, A., Kaliaguine, S.: ESCA Analysis of Partially Converted Lignocellulosic Materials, 1909A
Akiyama, H. See Takeda, S., 1341A
Alassia, L. M.
—; Couso, D. A., Meira, G. R.: Molecular Weight Distribution Control in a Semibatch Living-Anionic Polymerization. II. Experimental Study, 481B
Alberola, N.
Micromechanical Properties of Polyether Block Amide Copolymers, 787B
Albertsson, A.-C.
—; Karlsson, S.: The Three Stages in Degradation of Polymers—Polyethylene as a Model Substance, 1289A
Alger, M. M.
—; Stanley, T. J.: Measurement of Oxygen Transport Parameters in Polymer Films Initially Saturated with Air, 1501B
Alston, W. B. See Stoessel, S., 1847B
Amari, T. See Otsubo, Y., 1651A
Aminabhavi, T. M.
Liquid Diffusion into Epoxy Resin Composites, 1251A
Ando, M.
—; Uryu, T.: Synthesis of Polymer Materials by Low Energy Electron Beam. III. Effects of Polymerization Temperature in EB Solid-State Polymerization of Semicrystalline Urethane-Acrylate Film, 397A
Ando, T. See Kubota, S., 695A
Andrade, J. D. See Hu, C. Z., 1149A
Antal, M. J. Jr. See Simkovic, I., 721B
Aoshima, S. See Nakamura, N., 1877B
Arai, K.
—; Ogiwara, Y.: Grafted Chain as Spacer for an Insoluble Polymer Ligand. II. Two-step Polymerization Using Tetraethylthiuram Disulfide as an Initiator, 1651B
Aravindanath, S. See Paralikar, K. M., 2085A
Armeniades, C. D. See Dharmarajan, N., 353B
Armistead, J. P.
—; Wilkes, G. L., Turner, R. B.: Morphology of Water-Blown Flexible Polyurethane Foams, 601A
Asakura, T. See Demura, M., 535B
Bacon, D. W. See Vela Estrada, J. M. Vela, 655B
Bacskai, R.
High Activity Mixed Metal Alkyl Cocatalysts for α-Olefin Polymerization, 321A
Bai, J. M. See Hou, T. H., 321B
Bajpai, U. D. N.
—; Rai, S.: Grafting of Acrylamide onto Guar Gum Using $KMnO_4$/Oxalic Acid Redox System, 1169A
Balard, H. See Miyauchi, S., 127A
Balizer, E. See Hartmann, B., 1829A
Balke, S. T. See Lew, R., 1049A, 1065A
—; See Suwanda, D., 1019A, 1033A
Banerjee, M. See Sarkar, S., 1441A, 1865B
Bánhegyi, G.
—; Hedvig, P., Karasz, F. E.: Analysis of Temperature-Dependent AC Dielectric Loss Data, 679A
Barlow, J. W. See Schwarz, M. C., 653A, 2053A
Bartko, J. See Zussman, M. P., 2183A
Basu, D. K. See Mandal, S. K., 987A,
Baysal, B. M. See Ramelow, U., 937A
Beddows, C. G.
—; Gil, M. H., Guthrie, J. T.: The Immobilization of Enzymes onto Hydrolyzed Polyethylene-*g*-co-2-HEMA, 135A
Běhal, M.
—; Ducháček, V.: Thermovulcanization of Polychloroprene Rubber and Its Blends with Poly(vinyl Chloride), 507A
Bellenger, V.
—; Dhaoui, W., Morel, E., Verdu, J.: Packing Density of the Amine-Crosslinked Stoichiometric Epoxy Networks, 563A
Beltrame, P. L. See Dubini-Paglia, E., 635B
Benerito, R. R. See Goynes, W. R., 1255B
Berg, J. C. See Westerlind, B. S., 523B
Berry, G. C. See Lin, F.-M. C., 1377A
Bertelli, G. See Camino, G., 1863A
Bhowmick, A. K. See Deuri, A. S., 327A
Bishai, A. M. See Hakim, I. K., 1123A
Biswas, M. See Mohanty, B., 2247A
Bobleter, O. See Schwald, W., 1937A
Bocking, V. See Paine, A. J., 1205B
Boldizar, A.
—; Jacobsson, S., Hård, S.: Far Infrared Birefringence versus Other Orientational Measurements of High-Pressure Injection-Molded High-Density Polyethylene, 1567B
Bott, R. H.
—; Taylor, L. T., Ward, T. C.: Effect of Metal Particle Incorporation on Adhesive and Electrical Properties of Acetylene-Terminated Polyisoimide Prepolymers, 1295B
Bower, D. I. See King, J., 787A
Bradbury, J. H. See Perera, M. C. S., 105B
Brimhall, S. L. See Caldwell, K. D., 703B
Brown, D. J.
—; Lamb, P., Windle, A. H.: Micromechanisms of High-Energy Peel Failure in Polyester–Aluminum–Polyester Laminates, 279A
Brown, R. G.
—; Glass, J. E.: Spectroscopic Determination of Copolymer Composition in High Isocyanate Content Polymers, 1909B
Bryden, C. C. See McGuire, J. M., 537A

Burfield, D. R.
—; Loi, P. S. T.: The Use of Infrared Spectroscopy for Determination of Polypropylene Stereoregularity, 279B
Butler, J. S.
—; Gordon, B. III, Harrison, I. R.: Rhodium (1) Catalyst Supported on Polyethylene Hollow Fibers: Preparation and Hydrogenation Studies, 1183A

Caldwell, K. D.
—; Brimhall, S. L., Gao, Y., Giddings, J. C.: Sample Overloading Effects in Polymer Characterization by Field-Flow Fractionation, 703B
Camino, G.
—; Costa, L., Casorati, E., Bertelli, G., Locatelli, R.: The Oxygen Index Method in Fire Retardance Studies of Polymeric Materials, 1863A
Campbell, J. D. See Huo, B. P., 2009A
Cardenas, L. See Gargallo, L., 1495B
Casorati, E. See Camino, G., 1863A
Cernoch, J. See Mrázek, Z., 7A
Chamberlin, T. A.
—; Tuinstra, H. E.: Construction and Testing of a Specific Viscosity Detector for Size Exclusion Chromatography, 1667A
Chang, T.-C. See Jong, A., 87B
Chaturvedi, P. N. See Malhotra, J. P., 837B
Chen, D.-J. See Hsiue, G.-H., 995A
Chen, D.-S.
—; Jones, F. N.: Binders for Higher-Solids Coatings. IV. Liquid–Crystalline Acrylic Lacquers, 141B
Chen, J.-C. See Ko, T.-H., 863A
Chen, W.-T. See Yang, C.-P., 963B
Cheng, H. N.
^{13}C-NMR Sequence Determination for Multicomponent Polymer Mixtures, 1639A
Stereochemistry of Vinyl Polymers and NMR Characterization, 229B
—; Khasat, N. P.: ^{13}C-NMR Characterization of Poly(1,5-hexadiene), 825A
Cheung, M. F. See Golovoy, A., 1511A, 1901A
Cheung, P. See Lew, R., 1065A
Chiang, W.-C.
—; Chiang, W.-Y., 1421A, 1433A
Chiang, W.-Y.
—; Chiang, W.-C.: Condensation Polymerization of Multifunctional Monomers and Properties of Related Polyester Resins. I. Polyester Varnishes, 1421A
—; Chiang, W.-C.: Condensation Polymerization of Multifunctional Monomers and Properties of Related Polyester Resins. II. Thermal Properties of Polyester-Imide Varnishes, 1433A
—; Hu, C.-M.: Studies of Reactions with Polymers. III. Syntheses and Properties of Poly(vinyl Alcohol) Graft Terpolymers, 1479B
—; Lo, M.-S.: Properties of Copolymer-Type Polyacetal/Polyurethane Blends, 1685B
—; Shu, W.-J.: Preparation and Properties of UV-Curable Poly(dimethylsiloxane) Urethane Acrylate. II. Property-Structure/Molecular Weight Relationships, 1889B
—; Yang, W.-D.: Polypropylene Composities. I. Studies of the Effect of Grafting of Acrylic Acid and Silane Coupling Agent on the Performance of Polypropylene Mica Composites, 807A
Chien, J. C. W.
—; Rho, M. K.: Structure–Property Relationships in Thermoplastic Elastomers. IV. Dynamic Mechanical Relaxations in Polydioxolane, Polybutyltrioxocane, and Poly(propylene Oxide) Polyurethanes, 1387B
Chiu, W.-Y.
—; Shyu, G.-D.: Die Swell from Capillary Die and Slit Die: A Theoretical Study, 847A
Choi, K. Y.
—; Liang, W. R., Lei, G. D.: Kinetics of Bulk Styrene Polymerization Catalyzed by Symmetrical Bifunctional Initiators, 1547A
Choy, C. L. See Leung, W. P., 1305B
Chu, N.-J. See Liao, F.-H., 797A
Clair, T. L. St. See Hou, T. H., 321B
Colletti, R. F.
—; Mathias, L. J.: Solid State C-13 NMR Characterization of Textiles: Qualitative and Quantitative Analysis, 2069A
Connell, P. J.
—; Dickson, J. M.: Modeling Reverse Osmosis Separations with Strong Solute-Membrane Affinity at Different Temperatures Using the Finely Porous Model, 1129A
Contat, F. See Milas, M., 1115A
Cooney, J. D. See Day, M., 1097B
Costa, L. See Camino, G., 1863A
Couso, D. A. See Alassia, L. M., 481B
Czvikovszky, T. See Owolabi, O., 573A

Daimoh, M. See Yamaura, K., 1707B
Dao, L. H. See Perrier, G., 1235B
Darcovich, K.
—; Kutowy, O.: Surface Tension Considerations for Membrane Casting Systems, 1769A
Das, A. P. See Patra, S., 1537A
Das, P. K. See Mandal, S. K., 987A
Datsko, P. V. See Lipatov, Yu. S., 1143B
Datta, R. N. See Mandal, S. K., 987A
David, C.
—; Fornasier, R., Lejeng, W., Vanlautem, N.: Pretreatment of Eucalyptus Wood with Sodium Hypochlorite and Enzymatic Hydrolysis by Cellulases of *Trichoderma viride*, 29B
Day, M.
—; Suprunchuk, T., Cooney, J. D., Wiles, D. M.: Thermal Degradation of Poly(aryl-Ether—Ether-Ketone) (PEEK): A Differential Scanning Calorimetry Study, 1097B
—; Suprunchuk, T., Omichinski, J. G., Nelson, S. D.: Flame-Retardation Studies of Poly(ethylene Terephthalate) Fabrics Treated with *tris* Dibromo Alkyl Phosphates, 529A
Debona, B. T. See Lai, Y. C., 805B, 819B
Decker, C.
—; Moussa, K.: Photopolymerization of Multifunctional Monomers in Condensed Phase, 1127A
Decurtins, S.
—; Hourston, D. J.: Polyamide–Polyurethane Interpenetrating Polymer Networks Prepared by Synthesis in the Melt, 365B
Demura, M.
—; Kitamura, A., Shibamoto, A., Asakura, T.: Water Sorption, Membrane Potentials, and Ion Permeability of Styrene-Grafted *Bombyx mori* Silk Fibroin Membrane, 535B
Deshpande, D. D. See Pandya, M. V., 1803A
Deshpande, M. M. See Padhye, M. R., 1475B
Deuri, A. S.
—; Bhowmick, A. K.: Effect of Flaw Size on Tensile Rupture and Morphology of Fracture Surface of Synthetic Rubbers with Special Reference to Rocket Insulator Compound, 327A
Devi, K. S. See Kale, V., 1517B
Dhaoui, W. See Bellenger, V., 563A
Dharmarajan, N.
—; Kumar, S., Armeniades, C. D.: A Constitutive Equation for Creep in Polymer Concretes and Their Resin Binders, 353B
Dickson, J. M. See Connell, P. J., 1129A
Dietrich, B. K.
—; Pryor, W. A., Wu, S. J.: Chain Transfer Constants of Mercaptans in the Emulsion Polymerization of Styrene, 1129B
Di Filippo, G. V.
—; Vander Sande, J. B., Uhlmann, D. R.: On the

Structure of Glassy Polymers. VIII. Use of *Z* Contrast to Elucidate the Microstructure of Epoxy and Polyimid Resins, 485A
Dijk, J. G. Van See Doppert, H. L., 1177B
Dillon, J. G. See Wagner, H. L., 567B
Dimnik, G. P. See Limm, W., 2099A
Ditl, P. See Matějíček, A., 583A
Domb, A. See Mathiowitz, E., 755A
Donnet, J. B. See Miyauchi, S., 127A
Doppert, H. L.
—; Dijk, J. G. Van: Stirring-Induced Solution Crystallization of Ultra High Molecular Weight Polyamide 6, 1177B
Dor, Ph. See Mathiowitz, E., 755A
Doss, N. L. See Nosseir, M. H., 75A
Drake, E. N. See Eustace, D. J., 707A
Dryden, P. See Hu, C. Z., 1149A
Dubini-Paglia, E.
—; Beltrame, P. L., Marcandalli, B., Seves, A., Vicini, L.: Behavior of Azo Dyes Dispersed in Fluid Polymeric Matrices with Different Rheological Properties. A Kinetic Study of the *cis-trans* Isomerization of 3′-Nitro-4-Diethylamino Azobenzene in Polyethylenoxides, 635B
Ducháček, V. See Běhal, M., 507A
Duffy, J. V.
—; See Hartmann, B., 1829A
—; Lee, G. F.: The Effect of Steric Hindrance on Physical Properties in an Amine-Cured Epoxy, 1367A
Dwight, D. W. See Lopez, L. C., 1401B

Ebringerová, A. See Šimkovic, I., 721B
Egawa, H. See Nakayama, M., 1617B
Ekpenyon, O. E. See Ugbolue, S. C. O., 1627B
El-Aasser, M. S. See Kim, J. H., 2117A
Elix, J. A. See Perera, M. C. S., 105B
Ellis, T. S.
Moisture-Induced Plasticization of Amorphous Polyamides and Their Blends, 451B
El-Sisi, F. See Hebeish, A., 191B
Erbil, H. Yildirim.
Oxygen Permeability and Surface Free Energy Properties of Silicone-Containing Copolymers of Methyl Methacrylate, 11B
Eustace, D. J.
—; Siano, D. B., Drake, E. N.: Polymer Compatibility and Interpolymer Association in the Poly(acrylic Acid)-Polyacrylamide-Water Ternary System, 707A
Evtimova, S. See Natov, M., 1161A
Ezaki, T. See Yoshikawa, M., 145A

Farris, R. J. See Néhmé, O. A., 1955A
—; See Thompson, S. A., 1113B
—; See Vratsanos, M. S., 403B
Fasulo, P. D. See Garner, D. P., 495B
Faulkner, D. L.
Toughened Mica-Filled Polypropylene Systems, 467B
Feldman, D.
—; LaCasse, M., Manley, R. St. J.: Polyurethane-Based Sealants Modified by Blending with Kraft Lignin, 247A
Flink, P.
—; Westerlind, B., Rigdahl, M., Stenberg, B.: Bonding of Untreated Cellulose Fibers to Natural Rubber, 2155A
Forgerit, J. P. See Gueugnaut, D., 1683A
Formánek, L. See Matějíček, A., 583A
Fornasier, R. See David, C., 29B
Forster, E. O. See Krishnakumar, B., 1459A
Fouda, A. See Lui, A., 1809B
Fowler, M. E.
—; Keskkula, H., Paul, D. R.: Mechanical Behavior of Dual-Rubber-Modified SAN, 1563A
Francis, D. J. See Joseph, R., 1003A
—; See Ravindran, T., 1227A
Francois, J. See Kheradmand, H., 1583B
Frushour, B. G.
—; Sabatelli, D. C.: Simultaneous Measurement of Light Transmission and Heat Flow in a Modified Differential Scanning Calorimeter, 1453B
Frye, R. L. See Lin, F.-M. C., 1377A
Fujii, N. See Miyama, H., 115A, 925B
Fujiyama, M.
—; Kawamura, Y., Wakino, T., Okamoto, T.: Study on Rough-Surface Biaxially Oriented Polypropylene Film. I. Formation of β-Form Crystals in Sheet Cast with T-Die Extruder, 985B
—; Kawamura, Y., Wakino, T., Okamoto, T.: Study on Rough-Surface Biaxially Oriented Polypropylene Film. II. Influence of Stretching Conditions, 995B
—; Kawamura, Y., Wakino, T., Okamoto, T.: Study on Rough-Surface Biaxially Oriented Polypropylene Film. III. Influence of MFI of Base Resin, 1011B
—; Kawamura, Y., Wakino, T., Okamoto, T.: Study on Rough-Surface Biaxially Oriented Polypropylene Film. IV. Influence of Addition of Crystal Nucleator, 1025B
—; Kawamura, Y., Wakino, T., Okamoto, T.: Study on Rough-Surface Biaxially Oriented Polypropylene Film. V. Analysis and Control of Roughness, 1035B
—; Kawamura, Y., Wakino, T., Okamoto, T.: Study on Rough-Surface Biaxially Oriented Polypropylene Film. VI. Roughening by Laminated Cast Sheet, 1049B
—; Kawamura, Y., Wakino, T., Okamoto, T.: Study on Rough-Surface Biaxially Oriented Polypropylene Film. VII. Roughening by Blending Low Melting Point Polymers, 1061B
—; Wakino, T., Kawasaki, Y.: Structure of Skin Layer in Injection-Molded Polypropylene, 29A
Fukumori, K. See Takahashi, H., 1821B
Fukuta, T. See Matsuzawa, S., 1661A

Gabriel, C. A. See Néhmé, O. A., 1955A
Galembeck, F. See Ganzarolli De Oliveira, M., 1791A
Ganzarolli De Oliveira, M.
—; Pessoa, O. Jr., Vargas, H., Galembeck, F.: Low-Density Polyethylene Depth Profile Analysis by Photoacoustic Spectroscopy, 1791A
Gao, Y. See Caldwell, K. D., 703B
Gargallo, L.
—; Soto, E., Tagle, L. H., Radić, D.: Solution Properties of Poly(thiocarbonates), 1103A
—; Radić, D., Hamidi, N., Cardenas, L., Horta, A., Hernandez-Fuentes, I.: The Effect of Side Chains on the Partial Specific Volumes of Poly(*o*-Alkylphenyl Methacrylates) and Polydiitaconates, 1495B
Garner, D. P.
—; Fasulo, P. D.: The Effect of Composition on the Properties of Nylon 612 Copolymers, 495B
Gedam, P. H. See Janardhan, R., 1781B
George, K. E. See Joseph, R., 1003A
Geundi, M. S. El See McKay, G., 43B
Ghatge, N. D. See Vernekar, S. P., 1433B
Giddings, J. C. See Caldwell, K. D., 703B
Gil, M. H. See Beddows, C. G., 135A
Glass, J. E. See Brown, R. G., 1909B
Glasser, W. G. See Kelley, S. S., 759B
—; See Rials, T. G., 749B
Gokak, D. T.
—; Kamath, B. V., Ram, R. N.: Preparation, Characterization, and Catalytic Activity of Polymer Supported Ethylenediamine and Glycine Cobalt Complexes, 1523A
Goldblatt, R. D.
—; Scilla, G. J., Park, J. M., Johnson, J. F., Huang, S. J.: Surface Composition of Polystyrene, 2075A

Golovoy, A.
—; Cheung, M. F.: Water Absorption and Its Effect on Polyarylate, 1511A
—; Cheung, M. F., Zinbo, M.: The Kinetics of Polyarylate Hydrolytic Embrittlement, 2001A
Gomez-Antón, M. R.
—; Horta, A.: Density and Thermal Expansion of a Trifluoropropylsiloxane Polymer in Solution, 273A
Gonsalves, K. E.
—; Agarwal, R.: Modification of PAN by Titanium Dialkylamides: Precursors for Titanium Carbide, 1659B
Gordon, B. III See Butler, J. S., 1183A
Goynes, W. R.
—; Benerito, R. R.: Effects of Associated Anion on Hydrophilicity of Quaternary Ammonium Cellulose, 1255B
Graczyk, T.
Grafting of Vinyl Monomers by the Xanthate Method, 1343B
Grayson, M. A. See Pao, P. S., 727A
Groele, R. J. See Krasicky, P. D., 641A
Grulke, E. A. See Mossner, L. S., 923A
Guerra, G. See Nelson, A., 243B
Gueugnaut, D.
—; Wackernie, P., Forgerit, J. P.: Infrared Microspectrometric Study of the Thermal History of Fusion Welding of Polyethylene, 1683A
Gupta, R. K. See Krishnakumar, B., 1459A
Guthrie, J. T. See Beddows, C. G., 135A

Ha, C. S.
—; Kim, S. C.: Rheological Properties and Crystalline Structure of the Dynamically Cured EPDM and PP/HDPE Ternary Blends, 2211A
Hachisuka, H.
—; Kito, H., Tsujita, Y., Takizawa, A., Kinoshita, T.: O_2 and N_2 Gas Permselectivity of Alternating Copoly(vinylidene cyanide–vinyl acetate), 1333A
Hagström, B.
—; Kubat, J., Rigdahl, M.: A Comparison between the Stress–Relaxation Behavior of Molybdenum and Polyethylene, 1375B
Hahn, A. W. See Sharma, A. K., 1555B
Hakim, I. K.
—; Bishai, A. M., Saad, A. L.: Dielectric Properties of Butyl Rubber Mixtures at 10^6–10^{10} Hz, 1123A
Hall, R. A.
Characterization of Rubber Particle Size Distribution of High-Impact Polystyrene Using an Image Analysis Method, 1151B
Hamer, E. G. See Kuder, J. E., 1257A
Hamidi, N. See Gargallo, L., 1495B
Hamielec, A. E. See Hunkeler, D., 1603A
—; See Huo, B. P., 1409A, 2009A
—; See Penlidis, A., 2023A
Han, C. D.
Influence of Molecular Weight Distribution on the Linear Viscoelastic Properties of Polymer Blends, 167A
—; See Kwack, T. H., 363A
—; See Ma, T. C., 1725A
Hård, S. See Boldizar, A., 1567B
Harland, W. G. See Otaigbe, J. U., 165B
Harris, J. E.
—; Robeson, L. M.: Miscible Blends of Poly(aryl Ether Ketone)s and Polyetherimides, 1877A
Harrison, I. R. See Butler, J. S., 1183A
—; See Laughner, M. P., 899B
Hartmann, B.
—; Duffy, J. V., Lee, G. F., Balizer, E.: Thermal and Dynamic Mechanical Properties of Polyurethaneureas, 1829A
Hashida, I. See Morita, M., 1639B
Hata, Y. See Ogiwara, Y., 1473A
Hatada, K. See Nate, K., 913A
Hayakawa, A. See Yamaura, K., 1621A
Hayashi, K.
—; Takezaki, J., Okada, T., Sakurada, I.: Radiation-Induced Polymerization of Methyl Methacrylate and Alkyl Acrylates at High Dose Rate, 295B
He, T.
—; Porter, R. S.: Melt Transcrystallization of Polyethylene on High Modulus Polyethylene Fibers, 1945A
Hebeish, A.
—; Abdel-Hafiz, S. A., El-Sisi, F.: Synthesis and Applications of Reactive Carbohydrates. IV. Reactive Finishes Based on CMC and Oxidized CMC Copolymers, 191B
Hedvig, P. See Bánhegyi, G., 679A
Hernandez-Fuentes, I. See Gargallo, L., 1495B
Higashimura, T. See Nakamura, N., 1877B
Higuchi, A.
—; Iwata, N., Tsubaki, M., Nakagawa, T.: Surface-Modified Polysulfone Hollow Fibers, 1753B
Hirai, Y.
—; Nakajima, T.: Moisture Sorption of Polyelectrolyte Complex between Poly(acrylic Acid) and Poly(4-vinylpyridine), 1325A
Hirose, T.
—; Mizoguchi, K., Kamiya, Y.: Gas Transport in Poly(vinyl Cyclohexanecarboxylate), 517A
—; Mizoguchi, K., Naito, Y., Kamiya, Y.: Low-pressure CO_2 Sorption in Poly(vinyl Benzoate) Conditioned to High-pressure CO_2, 1715A
Hirotsu, T.
—; Ichimura, K., Mizoguchi, K., Nakamura, E.: Water–Ethanol Permseparation by Pervaporation through Photocrosslinked Poly(vinyl Alcohol) Composite Membranes, 1717B
—; Katoh, S., Sugasaka, K., Takai, N., Senō, M., Itagaki, T.: Effect of Water Content of Hydrophilic Amidoxime Polymer on Adsorption Rate of Uranium from Seawater, 1741B
—; Nakajima, S.: Water–Ethanol Permseparation by Pervaporation through the Plasma Graft Copolymeric Membranes of Acrylic Acid and Acrylamide, 177B
Hjertberg, T.
Polymerization of Vinyl Chloride at Reduced Monomer Accessibility. IV. The Effect of Diffusion Control on Polymerization Rate, Molecular Weight, and Thermal Stability, 129B
Hloušková, Z.
—; Lustoň, J., Szöcs, F.: A Study of the Interaction of Mechanically Generated Polypropylene Radicals with Phenolic Antioxidant in the Absence of Oxygen Using ESR Spectroscopy, 1245B
Hoagland, D. A.
—; Prud'homme, R. K.: Analysis of Water-Soluble Polymers Using Hydrodynamic Chromatography, 935B
Hoehn, H. H. See Moe, M., 1833B
Holmes, B. S.
—; Trask, C. A.: Cure Studies of Interpenetrating Networks by Microdielectrometry, 1399A
Hongxin, D. See Jintang, G., 73B
Horáček, I. See Mrázek, Z., 7A
Horta, A. See Gargallo, L., 1495B
—; See Gomez-Antón, M. R., 273A
Hota, Arun K.
—; Maiti, M. M.: Modified Wheat Flour–Natural Rubber Blends. II, 545B
Hou, T. H.
—; Bai, J. M., St. Clair, T. L.: Polymerization and Crystallization Behavior of a LaRC-TPI Powder, 321B
Hou, T. N.
—; Wakelyn, N. T, St. Clair, T. L.: Investigation of Crystalline Changes in LaRC-TPI Powders, 1731B
Hourston, D. J. See Decurtins, S., 365B

Howang, K. T.
—; Iwamoto, K., Senō, M.: Structures and Gas Permeabilities of Poly(vinylidene Fluoride)/Oligodimethylsiloxane Blend Membranes, 1925B
Hsiao, S.-H. See Yang, C.-P., 1221B
Hsiue, G.-H.
—; Chen, D.-J., Liew, Y.-K.: Stress Relaxation and the Domain Structure of Thermoplastic Elastomer, 995A,
—; Yang, Y.-S., Kuo, J.-F.: Permeation and Separation of Aqueous Alcohol Solutions through Grafted Poly(vinyl Alcohol) Latex Membranes, 1701A
Hsu, C. C. See Vela Estrada, J. M., 655B
Hsu, T. J.
—; Lee, L. J.: Processing of Polyurethane-Polyester Interpenetrating Polymer Network (IPN), 1157B
Hu, A.-C. See Vrentas, J. S., 1933B
Hu, C.-M. See Chiang, W.-Y., 1479B
Hu, C. Z.
—; Andrade, J. D., Dryden, P.: Structural Determination of Pyrolyzed PI-2525 Polyimide Thin Films, 1149A
Huang, R. Y. M.
—; Moreira, A., Notarfonzo, R., Xu, Y. F.: Pervaporation Separation of Acetic Acid-Water Mixtures Using Modified Membranes. I. Blended Polyacrylic Acid (PAA)-Nylon 6 Membranes, 1191A
Huang, R. Y. M. See Jin, Y., 1799B
—; See Xu, Y. F., 1121B
Huang, S. J. See Goldblatt, R. D., 2075A
Hundiwale, D. G. See Pandya, M. V., 1803A
Hunkeler, D.
—; Hamielec, A. E.: One-Point Method to Calculate Molecular Weight from Low-Angle Laser Light Scattering Data. I. Application to Acrylamide Polymers, 1603A
Husk, G. R. See Moe, M., 1833B
Hussain, S. See Janardhan, R., 1781B
Huo, B. P.
—; Campbell, J. D., Penlidis, A., MacGregor, J. F., Hamielec, A. E.: Effect of Impurities on Emulsion Polymerization: Case II Kinetics, 2009A
—; Hamielec, A. E., MacGregor, J. F.: An Investigation of the Emulsion Terpolymerization of 2-Ethylhexylacrylate–Vinyl Acetate–Acrylic Acid, 1409

Ichimura, K. See Hirotsu, T., 1717B
Ihara, Y.
Effect of Inorganic Salt on Adsorption of Sodium Alkyl Sulfates and Fatty Acid Sodium Salts from Aqueous Solution onto Ion Exchange Resins, 891B
Iijima, T. See Seo, T., 1443B
Ikada, Y. See Uyama, Y., 1087B
Ikeda, T. See Takahashi, S., 613B
Im, S. S.
—; Kang, E. Y.: Electrical Conduction of Cu_xS-Treated Films, 475A
Imai, K.
—; Shiomi, T., Tezuka, Y., Takada, .: Synthesis of Sulfone-Modified Poly(vinyl Alcohol) and its Application for Permselective Membrane of Sulfur Dioxide, 1817A
Inata, H.
—; Morinaga, T., Matsumura, S.: Postcrosslinking of Linear Polyesters. I. Melt-Blend-Type UV-Induced Crosslinking Agents, 1705A
—; Morinaga, T., Matsumura, S.: Postcrosslinking of Linear Polyesters. II. UV-Induced Crosslinking Agents Having Carboxyl Reactive Group, 1667B
Inoue, H.
—; Ueda, A., Nagai, S.: Block Copolymers Derived from Azobiscyanopentanoic Acid. XI. Properties of Silicone-PMMA Block Copolymers Prepared via Polysiloxane-(azobiscyanopentanamide)s, 2039A
Inoue, T. See Nate, K., 913A
Ishigaki, I. See Momose, T., 55B, 63B
Ishizu, A. See Kondo, T., 885A, 1107B
Itagaki, T. See Hirotsu, T., 1741B
Itoh, M.
—; Shiota, T., Nishihara, M.: Filler Reinforcement in Electron Beam-Cured Hard Paint Films, 1417B
Itoi, M. See Yamashita, S. 1927A
Ives, J. T.
—; Reichert, W. M.: Polymer Thin Film Integrated Optics: Fabrication and Characterization of Polystyrene Waveguides, 429B
Iwamoto, K. See Howang, K. T., 1925B
Iwata, N. See Higuchi, A., 1753B

Jacobsson, S. See Boldizar, A., 1567B
Jacovic, M. S.
—; Perovic, I., MacKnight, W. J., Lenz, R. W.: The Preparation and Properties of Zinc Coordination Complexes of Poly(4-Vinylpyridine-co-*n*-Butyl Methacrylate) Copolymers, 903A
Jada, S. S.
The Structure of Urea-Formaldehyde Resins, 1573A
Janardhan, R.
—; Gedam, P. H., Kumaran, S., Narasimha, R., Hussain, S.: Absorption of Polymer at the Solution-Solid Interface: Alkyd Resin on TiO_2 Pigment, 1781B
Jin, Y.
—; Huang, R. Y. M.: Studies on the Glass Transition of Blends of Nylon-6 and Polyacrylic Acid, 1799B
Jinen, E.
Heat Distortion of Phenolic Fiber Reinforced Thermoplastics, 773B
Jintang, G.
—; Hongxin, D.: Molecule Structure Variations in Friction of Stainless Steel/PTFE and Its Composite, 73B
Jog, J. P. See Shingankuli, V. L., 335B
Johnson, J. F. See Goldblatt, R. D., 2075A
Jones, F. N. See Chen, D.-S., 141B
Jong, A.
—; Chang, T.-C., Lai, J.-Y.: Chemical Initiated-Grafted Nylon 4 Membranes, 87B
Joseph, R.
—; George, K. E., Francis, D. J.: Studies on the Cure Characteristics and Vulcanizate Properties of 50/50 NR/SBR Blend, 1003A
Joshi, K. A.
—; Naik, G. A., Nevrekar, N. B.: Degradation of Polyester Waste by Aliphatic and Aromatic Alcohols, 1921A

Kaeriyama, K. See Nakao, Y., 269B
Kakiuchi, H. See Takeda, S., 1341A, 1351A
Kale, V.
—; Vedanayagam, H. S., Devi, K. S., Rao, S. V., Lakshminarayana, G., Rao, M. B.: Kinetics of Reaction of Ethylenediamine and Dimeric Fatty Acids, 1517B
Kaliaguine, S. See Ahmed, A., 1909A
Kamath, B. V. See Gokak, D. T., 1523A
Kamigaito, O. See Takahashi, H., 1821B
Kamiya, Y. See Hirose, T., 517A, 1715A
Kanamoto, T. See Zachariades, A. E., 1265A
Kanbara, T. See Seo, T., 1443B
Kang, E. Y. See Im, S. S., 475A
Karasawa, M. See Suto, S., 407A
Karasz, F. E. See Bánhegyi, G., 679A
—; See Nelson, A., 243B
Karlsson, S. See Albertsson, A.-C., 1289A

Kaška, J. See Matějíček, A., 583A
Katoh, S. See Hirotsu, T., 1741B
Kawaguchi, H.
—; Koiwai, N., Ohtsuka, Y.: Separate or Simultaneous Immobilization of Glucose Oxidase and Peroxidase on Latex Particles and Their Function, 743A
Kawamura, Y. See Fujiyama, M., 985B, 995B, 1011B, 1025B, 1035B, 1049B, 1061B
Kawasaki, Y. See Fujiyama, M., 29A
Kawauchi, Y. See Ogawa, N., 1283A
Kelley, S. S.
—; Glasser, W. G., Ward, T. C.: Engineering Plastics from Lignin. XV. Polyurethane Films from Chain-Extended Hydroxypropyl Lignin, 759B
Keskkula, H. See Fowler, M. E., 1563A
—; See Schwarz, M. C., 653A
Khanna, Y. P.
—; Reimschuessel, A. C.: Memory Effects in Polymers. I. Orientational Memory in the Molten State; Its Relationship to Polymer Structure and Influence on Recrystallization Rate and Morphology, 2259A
Kharas, G. B.
Characterization of Copolymers of *N*-Vinyl-2-Pyrrolidone with 2-Phenyl-1,1-Dicyanoethene, 2173A
Copoiymerization of N-Vinyl-2-pyrrolidone and 2-Phenyl-1,1-dicyanoethene, 733A
Khasat, N. P. See Cheng, H. N., 825A
Kheradmand, H.
—; Francois, J., Plazanet, V.: Degradation of Acrylamide–Sodium Acrylate Copolymer in Aqueous Solution, 1583B
Khomami, B.
—; McHugh, A. J.: Processing-Property Interactions in Poly(vinylidene fluoride). I. An Analysis of Melt Stress History in Extensional Flow Geometry, 859B
—; McHugh, A. J.: Processing-Property Interactions in Poly(vinylidene fluoride). II. Morphology and Property Characterization of Extruded Films, 877B
Kidera, A. See Yamashita, S., 1927A
Kikuchi, Y.
—; Kubota, N., Mitsuishi, H.: Structures, Properties, and Alkali Metal Ion Transport Membrane of Polyelectrolyte Complexes Consisting of Methyl Glycol Chitosan, Glycol Chitosan, and Poly(vinyl sulfate), 259A
—; Kubota, N.: Macromolecular Complexes Consisting of Poly(aluminum Chloride), [2-(Diethylamino)ethyl]dextran Hydrochloride, and Potassium Poly(vinyl Sulfate), 599B
Kilian, H. G.
—; Schenk, H.: van der Waals Model for Filled Rubbers with Modified Interfacial Contacts, 345A
Kim, J. H.
—; El-Aasser, M. S., Klein, A., Vanderhoff, J. W.: Sulfonated Latex Particle as Acid Catalysts for the Continuous Inversion of Sucrose, 2117A
Kim, K.-J. See Ruckenstein, E., 907B
Kim, S. C. See Ha, C. S., 2211A
—; See Yoo, Y. D., 1201A
King, J.
—; Bower, D. I., Maddams, W. F.: Molecular Orientation and Young's Modulus of Plasticized and Nonplasticized Poly(vinyl Chloride), 787A
Kinoshita, T. See Hachisuka, H., 1333A
Kiparissides, C. See Achilias, D., 1503A
Kiszka, M. B.
—; Meilchen, M. A., McHugh, M. A.: Modeling High-Pressure Gas–Polymer Mixtures Using the Sanchez-Lacombe Equation of State, 583B
Kitamura, A. See Demura, M., 535B
Kito, H. See Hachisuka, H., 1333A
Kito, T.
—; Ota, K., Yamaye, M., Yoshinaga, K.: An Application of Polyalcohols Prepared from Diols. I. Elastic Polymers with Functional Groups Prepared by Chemical Modifications, 1593A
Klein, A. See Kim, J. H., 2117A
Ko, T.-H.
—; Ting, H.-Y., Lin, C.-H.: Thermal Stabilization of Polyacrylonitrile Fibers, 631A
—; Ting, H.-Y., Lin, C.-H., Chen, J.-C.: The Microstructure of Stabilized Fibers, 863A
Kobayashi, M.
Characterization of Styrene–Methyl Methacrylate–*n*-Butyl Acrylate Terpolymers. I. Average Diad Concentration Determined by ^{1}H-NMR, 299A
Characterization of Styrene–Methyl Methacrylate–*n*-Butyl Acrylate Terpolymers. II. Effects of Sequence Distribution on Glass Transition Temperature, 311A
Kohjiya, S. See Yamashita, S., 1927A
Koike, N. See Ogiwara, Y., 1473A
Koike, Y. See Matsuzawa, S., 391A
Koiwai, N. See Kawaguchi, H., 743A
Kolinský, M. See Mrázek, Z., 7A
Konar, R. S. See Sarkar, S., 1441A, 1865B
Kondo, T.
—; Ishizu, A., Nakano, J.: Characterization of Water-Soluble Cellulose Derivatives Produced by Alkali Treatment of Ozonized Allylated Celluloses, 1107B
—; Ishizu, A., Nakano, J.: Preparation of Aldehydocelluloses from Completely Allylated Methylcellulose, Allylated Ethylcellulose, and Tri-*O*-Allylcellulose by Ozonization, 885A
Koros, W. J. See Moe, M., 1833B
Kottes-Andrews, B. A. Kottes See Trask-Morrell, B. J., 229A
Krasicky, P. D.
—; Groele, R. J., Rodriguez, F.: Measuring and Modelling the Transition Layer During the Dissolution of Glassy Polymer Films, 641A
Kratochvíl, P. See Stejskal, J., 215B
Krishnakumar, B.
—; Gupta, R. K., Forster, E. O., Laghari, J. R.: AC Breakdown of Melt-Crystallized Isotactic Polypropylene, 1459A
Kubat, J. See Hagström, B., 1375B
Kubota, H. See Ogiwara, Y., 1473A
Kubota, N. See Kikuchi, Y., 259A, 599B
Kubota, S.
—; Ando, T.: Preparation of Quinazolone-Imide Copolymers and Their Thermal and Chemical Etching Properties, 695A
Kuder, J. E.
—; Taskier, H. T., Hamer, E. G.: Laser Marking of Microporous Films, 1257A
Kumar, R. See Sen, A. K., 205B
Kumar, S. See Dharmarajan, N., 353B
Kumaran, S. See Janardhan, R., 1781B
Kumazawa, H. See Sada, E., 1497A
Kundu, A. K. See Ray, S. S., 1283B
Kuo, J.-F. See Hsiue, G.-H., 1701A
Kurauchi, T. See Takahashi, H., 1821B
Kutowy, O. See Darcovich, K., 1769A
Kwack, T. H.
—; Han, C. D., Vickers, M. E.: Development of Crystalline Structure during Tubular Film Blowing of Low-Density Polyethylene, 363A
Kwak, Y. T.
—; Winter, W. T.: Low Temperature Exotherm in Starch/Water Systems: A Retrogradation Marker, 2091A

LaCasse, M. See Feldman, D., 247A
Laghari, J. R. See Krishnakumar, B., 1459A
Lahalih, S. M. See Abai-Halabi, M., 1B
Lai, J.-Y. See Jong, A., 87B
Lai, Y. C.
—; Debona, B. T., Prevorsek, D. C.: Thermotropic Polyester Carbonates. II. Polyester Carbonates as High Performance Fibers, 805B
—; Debona, B. T., Prevorsek, D. C.: Thermotropic Polyester Carbonates. III. Thermotropic

Polyester Carbonates as Self-Reinforced Plastics, 819B
Lakshminarayana, G. See Kale, V., 1517B
Lamb, P. See Brown, D. J., 279A
Langer, R. See Mathiowitz, E., 755A
Laughner, M. P.
—; Harrison, I. R.: Hot Nip Drawing: A Rapid Method of Producing High Modulus Polypropylene Films, 899B
Ledakowicz, S. See Okoniewski, M., 1241A
Lee, G. F. See Duffy, J. V., 1367A
—; See Hartmann, B., 1829A
Lee, L. J. See Hsu, T. J., 1157B
—; See Yang, Y. S., 1325B
Lee, L.-T. See Yang, C.-P., 449A
Lei, G. D. See Choi, K. Y., 1547A
Lejong, W. See David, C., 29B
Lenka, S. See Patra, S., 1537A
Lenz, J.
—; Schurz, J., Wrentschur, E.: The Fibrillar Structure of Cellulosic Man-Made Fibers Spun from Different Solvent Systems, 1987A
Lenz, R. W. See Jacovic, M. S., 903A
Lerner, N. R.
—; Wydeven, T.: Decrease in the Etch Rate of Polymers in the Oxygen Afterglow with Increasing Gas Flow Rate, 1903A
Leung, W. P.
—; Choy, C. L., Xu, C., Qi, Z. Wu, R.: Mechanical Anisotropy in Oriented Linear Polyethylene of Various Crystallinities, 1305B
Levati, G. See Titomanlio, G., 1483A
Lew, R.
—; Cheung, P., Suwanda, D., Balke, S. T.: Quantitative Size Exclusion Chromatography of Polypropylene II: Analysis Systems, 1065A
—; Suwanda, D., Balke, S. T.: Quantitative Size Exclusion Chromatography of Polypropylene I: Method Development, 1049A
—; See Suwanda, D., 1019A, 1033A
Li, S.-Y. See Wang, X.-Y., 2165A
Liang, W. R. See Choi, K. Y., 1547A
Liao, F.-H.
—; Chu, N.-J., Tong, S.-N.: The Mechanical Properties of Rubber-Modified Vinyl Esters, 797A
Liew, Y.-K. See Hsiue, G.-H., 995A
Limm, W.
—; Stanton, D., Dimnik, G. P., Winnik, M. A., Smith, B. A.: Solvent Penetration and Photoresist Dissolution: A Fluorescence Quenching and Interferometry Study, 2099A
Lin, C.-H. See Ko, T.-H., 631A, 863A
Lin, F.-M. C.
—; Berry, G. C., Frye, R. L., Scala, L. C.: Electrophoretic, Dynamic, and Static Light Scattering on Charged Polymer Emulsions, 1377A
Linossier, J. L. See Milas, M., 1115A
Lipatov, Yu. S.
—; Rosovizky, V. F., Datsko, P. V., Maslak, Yu. V.: Dependence of Viscoelastic Properties on Segregation Degree of Components in Interpenetrating Polymer Networks, 1143B
Liu, C.-F. A.
—; Neogi, P.: Sorption of Methylene Chloride in Polyethylene Terephthalate, 21A
Lo, M.-S. See Chiang, W.-Y., 1685B
Locatelli, R. See Camino, G., 1863A
Loi, P. S. T. See Burfield, D. R., 279B
Lopez, L. C.
—; Dwight, D. W.: Preferential Enrichment of Chemistry at Polymer Surfaces, 1401B
Lucki, J.
—; Rabek, J. F., Rånby, B., Watanabe, Y.: The Role of Hindered Piperidine (HALS) Compounds for the Stabilization of Polypropylene against Oxidation Reactions Caused by Ozone and Oxidative Products Formed during Photolysis of Ozone, 1067B
Lui, A.
—; Talbot, F. D. F., Fouda, A., Matsuura, T., Sourirajan, S.: Studies on the Solvent Exchange Technique for Making Dry Cellulose Acetate Membranes for the Separation of Gaseous Mixtures, 1809B
Lustig, S. R.
—; Peppas, N. A.: Solute Diffusion in Swollen Membranes. IX. Scaling Laws for Solute Diffusion in Gels, 735B
Lustoň, J. See Hloušková, Z., 1245B

Ma, T. C.
—; Han, C. D.: Processing–Structure–Property Relationships in Poly(ethylene Terephthalate) Blown Film, 1725A
MacGregor, J. F. See Huo, B. P., 1409A
—; See Huo, B. P., 2009A
—; See Penlidis, A., 2023A
MacKnight, W. J. See Jacovic, M. S., 903A
—; See Nelson, A., 243B
Maddams, W. F. See King, J., 787A
Mahmoud, A. A. See Shaaban, A. F., 1191B
Maiti, M. M. See Hota, A. K., 545B
Maiti, S. See Ray, S. S., 1283B
Malhotra, J.
—; Chaturvedi, P. N., Singh, R. P.: Drag Reduction by Polymer–Polymer Mixtures, 837B
Malone, M. F. See Néhmé, O. A., 1955A
Mamada, A. See Nabata, Y., 155A
Mandal, S. K.
—; Datta, R. N., Das, P. K., Basu, D. K.: Studies on the Reaction of Bis(diisopropyl) Thiophosphoryl Disulfide with Silica in the Vulcanization of NR, 987A
Manley, R. St. J. See Feldman, D., 247A
Mansour, I. S. See McKay, G., 43B
Marcandalli, B. See Dubini-Paglia, E., 635B
Martel, B.
Charring Processes in Thermoplastic Polymers: Effect of Condensed Phase Oxidation on the Formation of Chars in Pure Polymers, 1213A
Martin, W. K.
Dynamics of the Threadline in Melt Spinning, 953A
Maslak, Yu. V. See Lipatov, Y. S., 1143B
Masuzawa, T. See Yamaura, K., 593A
Matějíček, A.
—; Pivoňková, A., Kaška, J., Ditl, P., Formánek, L.: Influence of Agitation on the Creation of Coagulum during the Emulsion Polymerization of the System Styrene-Butylacrylate-Acrylic Acid, 583A
Mathias, L. J. See Colletti, R. F., 2069A
Mathiowitz, E.
—; Saltzman, W. M., Domb, A., Dor, Ph., Langer, R.: Polyanhydride Microspheres as Drug Carriers. II. Microencapsulation by Solvent Removal, 755A
Matsumoto, T. See Takahashi, S., 613B
Matsumura, S. See Inata, H., 1705A, 1667B
Matsuoka, T. See Takahashi, H., 1821B
Matsuura, T. See Lui, A., 1809B
Matsuzawa, S.
—; Yamaura, K., Yamada, S., Shinke, Y., Nakano, Y., Koike, Y.: Photopolymerization of Vinyl Monomers Using Benzophenone-Tetrahydrofuran Initiation System and Aldehydes at Low Temperatures, 391A
—; See Yamaura, K., 593A, 957B, 1621A, 1707B
—; Yamaura, K., Nagura, M., Fukuta, T.: Properties of Blends of Syndiotactic-Rich and Atactic Poly(vinyl Alcohols), 1661A
McGuire, J. M.
—; Bryden, C. C.: Direct Pyrolysis Mass Spectrometry of Chlorine-Containing Polymers Using Capillary GC/MS, 537A
McHugh, A. J. See Khomami, B., 859B, 877B
—; See Yilmaz, L., 1967A
McHugh, M. A. See Kiszka, M. B., 583B
McKay, G.
—; Geundi, M. S. El, Mansour, I. S.: Adsorption of Dyes onto Bagasse Pith Using a Solid Diffusion Model, 43B

Meier, J. F.
—; Siemon, J. T., Quirk, J. F.: Development of an Elastomer with a High Static or Breakaway Friction Coefficient, 251B
Meilchen, M. A. See Kiszka, M. B., 583B
Meira, G. R. See Alassia, L. M., 481B
Melissaris, A. P. See Mikroyannidis, J. A., 691B
—; Mikroyannidis, J. A.: Synthesis, Physical and Thermal Characterization of Phosphorus-Containing Homopolymers and Copolymers Based on 2,4-Bis(4-Aminophenoxy)-6-Diethoxyphosphinyl-*s*-Triazine, 831A
Messiha, N. N. See Shaaban, A. F., 1191B
Meyer, G. C. See Nevissas, V., 1467B
Mikroyannidis, J. A. See Melissaris, A. P., 831A
—; Melissaris, A. P.: High Temperature Laminating Resins Based on Maleimido End-Capped Pyromellitimide, 691B
Milas, M.
—; Linossier, J. L., Contat, F.: The Effect of Thermal Aging on Xanthan Solutions, 1115A
Mino, N. See Miyauchi, S., 127A
Miranda, L. C. M. See Torres-Filho, A., 103A
Misra, A. See Mitra, D., 387B
Mitra, D.
—; Misra, A.: Study on the Effect of Dibenzylidene Sorbitol as a Nucleating Agent on the Crystallization and Morphology of Poly(ethylene Terephthalate), 387B
Mitsuishi, H. See Kikuchi, Y., 259A
Miyama, H.
—; Shimada, H., Fujii, N., Nosaka, Y., Noishiki, Y.: Graft Copolymerization of Methoxypoly(ethylene Glycohol) Methacrylate onto Polyacrylonitrile and Evaluation of Nonthrombogenicity of the Copolymer, 115A
—; Tanaka, K., Nosaka, Y., Fujii, N., Tanzawa, H., Nagaoka, S.: Charged Ultrafiltration Membrane for Permeation of Proteins, 925B
Miyauchi, S.
—; Mino, N., Balard, H., Papirer, E., Donnet, J. B.: Grafting of Poly(α-Chloroacrylonitrile) (α-PClAN) on Carbon Black and Electrical Properties of α-PClAN-Grafted Carbon Black Compositions, 127A
Mizoguchi, K. See Hirose, T., 517A, 1715A
—; See Hirotsu, T., 1717B
Mizutani, Y.
—; Nishimura, T., Nishimura, M.: Morphology of Composite Film Prepared by Polymerizing Styrene in Poly(vinyl Chloride) Film, 829B
Moe, M.
—; Koros, W. J., Hoehn, H. H., Husk, G. R.: Effects of Film History on Gas Transport in a Fluorinated Aromatic Polyimide, 1833B
Mohanty, B.
—; Palit, S. K., Biswas, M.: Effect of Pressure on the Precipitation and Sol-Phase Aqueous Polymerization of Methyl Methacrylate, 2247A
Moharram, M. A. See Rabie, S. M., 1701B
Mojumder, P. See Sen, K. K., 1601B
Momose, T.
—; Ishigaki, I., Okamoto, J.: Radiation Grafting of α,β,β-Trifluoroethylenesulfonyl Fluoride onto Low-Density Polyethylene Film by Simultaneous Irradiation Method. I. Kinetic Study of Simultaneous-Irradiation Grafting, 55B
—; Ishigaki, I., Okamoto, J.: Radiation Grafting of α,β,β-Trifluoroethylenesulfonyl Fluoride onto Low-Density Polyethylene Film by Simultaneous Irradiation Method. II. Properties of the Grafted Membrane, 63B
Moreira, A. See Huang, R. Y. M., 1191A
Morel, E. See Bellenger, V., 563A
Morinaga, T. See Inata, H., 1705A, 1667B
Morita, M.
—; Hashida, I., Nishimura, M.: Conducting Polypyrrole Composite Thin Films Chemically Prepared by Spreading on Surface of Aqueous Solution Containing Oxidizing Agent, 1639B
Morooka, T.
—; Norimoto, M., Yamada, T., Takuma, S., Okamura, K.: Viscoelastic Properties of (Cellulose Oligo-Oxymethylene Ether) Acylates with Bulky Side Chain, 717A
Mossner, L. S.
—; Grulke, E. A.: Effects of Thermodynamic Models on the Predictions of Free Volume Diffusion Theory for Concentrated Polymer Solutions, 923A
Moussa, K. See Decker, C., 1127A
Mrázek, Z.
—; Kolínský, M., Horáček, I., Černoch, J.: Copolymerization of Vinyl Chloride with 1-Olefins. Part IV. Investigation of Rheological and Mechanical Properties of Copolymers, 7A
Mukherjea, R. N. See Pal, S. K., 973A
Mukhopadhyay, D. See Pal, S. K., 973A
Muthukrishnan, P. See Subramaniam, V., 1981A

Nabata, Y.
—; Mamada, A., Yamasaki, H.: Study of the Curing Process Giving the Rigid Polyurethane Foam by Dynamic Viscoelastic Method, 155A
Nadkarni, V. M. See Shingankuli, V. L., 335B
—; See Vaidya, U. R., 775A
Nagai, S. See Inoue, H., 2039A
Nagaoka, S. See Miyama, H., 925B
Nagura, M. See Matsuzawa, S., 1661A
Naik, D. See Subramaniam, V., 1981A
Naik, G. A. See Joshi, K. A., 1921A
Naito, Y. See Hirose, T., 1715A
Nakagawa, T. See Higuchi, A., 1753B
Nakajima, S. See Hirotsu, T., 177B
Nakajima, T. See Hirai, Y., 1325A
Nakamura, E. See Hirotsu, T., 1717B
Nakamura, N.
—; Aoshima, S., Higashimura, T.: Study on Ketalization Reaction of Poly(vinyl Alcohol) by Ketones. III Reaction between Poly(vinyl Alcohol) and Methyl Ethyl Ketone and Behavior of Poly(vinyl Ketal) in Water, 1877B
Nakano, A. See Yamashita, K., 465A
Nakano, J. See Kondo, T., 885A, 1107B
Nakano, Y. See Matsuzawa, S., 391A
Nakao, Y.
—; Kaeriyama, K.: Dyeing of Silk Cloth with Colloidal Gold, 269B
Nakayama, M.
—; Uemura, K., Nonaka, T., Egawa, H.: Recovery of Uranium from Seawater. VI. Uranium Adsorption Ability and Stability of Macroporous Chelating Resin Containing Amidoxime Groups Prepared by the Simultaneous Use of Divinylbenzene and Ethyleneglycol Dimethacrylate as Crosslinking Reagent, 1617B
Narasimha, R. See Janardhan, R., 1781B
Nate, K.
—; Inoue, T., Yokono, H., Hatada, K.: Highly Sensitive Self-Developing Soft X-Ray Resists of Silicon-Containing Aldehyde Copolymers and Sensitive Novolac-Based Composite Resists Containing Aldehyde Copolymer, 913A
Natov, M.
—; Vassileva, St., Evtimova, S.: Investigation on the Long-Term Behavior of Polyethylene and Poly(vinyl chloride) under Static Load, 1161A
Nayak, P. L. See Patra, S., 1537A
Nayar, M. R. Gopinathan See Ravindran, T., 1227A
Néhmé, O. A.
—; Gabriel, C. A., Farris, R. J., Thomas, E. L., Malone, M. F.: Microstructural Investigations of PBT/Nylon 6,6 Composites, 1955A
Nelson, A.
—; Guerra, G., Williams, D. J., Karasz, F. E., MacKnight, W. J.: Catalytic Activity of Benzimidazole in the Imidization of Polyamic Acids, 243B
Nelson, S. D. See Day, M., 529A

Neogi, P. See Liu, C.-P. A., 21A
Nevissas, V.
—; Widmaier, J. M., Meyer, G. C.: Effect of Crosslink Density and Internetwork Grafting on the Transparency of Polyurethane/Polystyrene Interpenetrating Polymer Networks, 1467B
Nevrekar, N. B. See Joshi, K. A., 1921A
Ng, K. M. See Uebner, M., 1525B
Nguyen, M. See Roland, C. M., 2141A
Nichols, M. F. See Sharma, A. K., 1555B
Nishibori, W. See Suto, S., 407A
Nishihara, M. See Itoh, M., 1417B
Nishimura, K. See Ogawa, N., 1283A
Nishimura, M. See Mizutani, Y., 829B
—; See Morita, M., 1639B
Nishimura, T. See Mizutani, Y., 829B
Nisizawa, M.
Radiation-Induced Sol–Gel Transition of Protein: Effects of Radiation on Amino Acid Composition and Viscosity, 979B
Studies on Irradiation of Agar–Agar in the Solid State: On the Changes of Water Holding Capacity of Agar–Agar Hydrogel Produced by Irradiation, 1673B
Noishiki, Y. See Miyama, H., 115A
Nonaka, T. See Nakayama, M., 1617B
Norimoto, M. See Morooka, T., 717A
Nosaka, Y. See Miyama, H., 115A, 925B
Nosseir, M. H.
—; Does. N. L., Taufik, S. Y.: Structure and Properties of *p*-Carboxysuccinanilic Polyester Resins, 75A
Notarfonzo, R. See Huang, R. Y. M., 1191A

Ogata, N. See Yoshikawa, M., 145A
Ogawa, N.
—; Kawauchi, Y., Nishimura, K., Sugii, A.: Continuous Preparative Method of Relatively Large and Uniform Polymer Beads and Their Application to Immobilization of Urease, 1283A
Ogiwara, Y. See Arai, K., 1651B
—; Koike, N., Kubota, H., Hata, Y.: Factors Affecting Photografting of Methacrylic Acid on Polyethylene Film in Liquid Phase System, 1473A
Ohashi, F. See Razzak, M. T., 645B
Ohshiro, M. See Suto, S., 407A
Ohta, T. See Takahashi, H., 1821B
Ohtsuka, Y. See Kawaguchi, H., 743A
Okada, T. See Hayashi, K., 295B
Okamoto, J. See Momose, T., 55B, 63B
Okamoto, T. See Fujiyama, M., 985B, 995B, 1011B, 1025B, 1035B, 1049B, 1061B
Okamura, K. See Morooka, T., 717A
Okoniewski, M.
—; Sójka-Ledakowicz, J., Ledakowicz, S.: Chemically Induced Graft Copolymerization of Acrylic Acid onto Polyester Fabrics. I. Kinetic Investigation of Grafting, 1241A
Okoshi, N. See Takahashi, S., 613B
Omichinski, J. G. See Day, M., 529A
Onari, Y.
Chelating Polymer-Bearing 4-(3-Triazolylazo)phenol Moiety as the Functional Group, 1695A
Chelating Polymer-Bearing 4-3(Triazolylazo)phenol Moiety as the Functional Group, 1409A
Ota, K. See Kito, T., 1593A
Otaigbe, J. U.
—; Harland, W. G.: Studies in the Properties of Nylon 6–Glass Fiber Composites, 165B
Otsubo, Y.
—; Amari, T., Watanabe, K.: Effect of White Pigments on UV Curing of Inks, 1651A
Otsuhata, K. See Razzak, M. T., 645B
Owen, M. J.
Surface Tension of Polytrifluoropropylmethylsiloxane, 895A
Owolabi, O.
—; Czvikovazky, T.: Composite Materials of Radiation-Treated Coconut Fiber and Thermoplastics, 573A

Padhye, M. R.
—; Deshpande, M. M.: Cellulose Degradation in Xanthate Process, 1475B
Paine, A. J.
—; Winnik, F. M., Bocking, V.: Mechanism of Accelerated Photofading of Thioether Anthraquinone Dyes in Styrene Butadiene Resins, 1205B
Pal, S. K.
—; Mukhopadhyay, D., Sanyal, S. K., Mukherjea, R. N.: Studies on Process Variables for Natural Fiber Composites—Effect of Polyesteramide Polyol as Interfacial Agent, 973A
Palit, S. K. See Mohanty, B., 2247A
Panda, R. B.
—; Patel, N., Sinha, B. K.: Polymerization of Methyl Methacrylate in Micellar Phase: A Kinetic Study, 2193A
Pandya, M. V.
—; Deshpande, D. D., Hundiwale, D. G.: Thermal Behavior of Cast Polyurethane Elastomers, 1803A
Pao, P. S.
—; Grayson, M. A., Wolf, C. J.: Effect of Methylene Chloride Sorption on the Mechanical Properties of Poly(aryl-ether-ether-ketone) (PEEK), 727A
Papanicolaou, G. C. See Papaspyrides, C. D., 309B
Papaspyrides, C. D.
—; Papanicolaou, G. C.: A Qualitative Model for the Mechanical Behavior of Pretreated Asbestos-Epoxy Composites, 309B
Papirer, E. See Miyauchi, S., 127A
Paralikar, K. M.
—; Aravindanath, S.: Crystallization of Cellulose, 2085A
Park, J. M. See Goldblatt, R. D., 2075A
Patel, K. C. See Patel, M. G., 561B
Patel, M. G.
—; Patel, K. C., Patel, S. R.: Polyethers. I. Polyethers from 2,4-Dichloroquinolines and Alkylene Diols, 561B
Patel, N. See Panda, R. B., 2193A
Patel, R. G. See Raval, D. K., 2201A
Patel, S. R. See Patel, M. G., 561B
Patel, V. S. See Raval, D. K., 2201A
Patra, S.
—; Das, A. P., Lenka, S., Nayak, P. L.: Synthetic Resins. VI. Studies on Reactivity Ratios, Thermal Behavior, and Bacteriocidal Properties of Resins Prepared from Substituted Acetophenones, 1537A
Paul, C. W.
Mechanical Properties of Polypivalolactone: Effects of Thermal History and Solvent Exposure, 675B
Paul, D. R. See Fowler, M. E., 1563A
—; See Schwarz, M. C., 653A, 2053A
Penlidis, A.
—; MacGregor, J. F., Hamielec, A. E.: Effect of Impurities on Emulsion Polymerization: Case I Kinetics, 2023A
Penlidis, A. See Huo, B. P., 2009A
Peppas, N. A. See Lustig, S. R., 735B
Percec, S.
Chemical Modification of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) via Phase Transfer Catalysis, 415B
Perera, M. C. S.
—; Elix, J. A., Bradbury, J. H.: Ozonolysis of Epoxidized Natural Rubber, 105B
Perondi, L. F. See Torres-Filho, A., 103A
Perovic, I. See Jacovic, M. S., 903A

Perrier, G.
—; Dao, L. H.: Photoelectrochemical Behavior of a Hydroxyaluminum Phthalocyanine Polyvinylpyridine–Iodine Electrode, 1235B
Pesson, O. Jr. See Ganzarolli De Oliveira, M., 1791A
Piccarolo, S. See Titomanlio, G., 1483A
Pivoňková, A. See Matějíček, A., 583A
Plazanet, V. See Kheradmand, H., 1583B
Podkościelny, W.
—; Szubińska, S.: Linear Polythioesters. XIII. Products of Polycondensation of Isomeric Di(mercaptomethyl)–Dimethylbenzenes with Adipoyl and Sebacoyl Chlorides, 85A
—; Szubinska, S.: Linear Polythioesters. XIV. Products of Interfacial Polycondensation Isomeric Di(mercaptomethyl)trimethylbenzenes with Some Aliphatic Acid Dichlorides, 1853A
—; Wdowicka, D.: Linear Polyesters Products of Interfacial Polycondensation of *Bis*(4-Hydroxyphenyl)Ether with Some Aliphatic Acid Dichlorides, 1779A
Popoola, V. A.
Polyester Formation: Aminolytic Degradation and Proposed Mechanisms of the Reaction, 1677B
Porter, R. S. See He, T., 1945A
Prevorsek, D. C. See Lai, Y. C., 805B, 819B
Prud'homme, R. K. See Hoagland, D. A., 935B
Prutzman, L. C. See Stein, J., 511B
Pryor, W. A. See Dietrich, B. K., 1129B

Qi, Z. See Leung, W. P., 1305B
Quadrat, O.
Changes of Non-Newtonian Behavior of Carboxylated Acrylate Dispersions During Alkalinization, 1A
Quirk, J. F. See Meier, J. F., 251B
—; See Lucki, J., 1067B

Rabek, J. F. See Lucki, J., 1067B
Rabie, S. M.
—; Abd-El-Nour, K. N., Moharram, M. A.: Irradiation of Solvent-Treated Cotton Fibers, 1701B
Radić, D. See Gargallo, L., 1103A, 1495B
Rai, S. See Bajpai, U. D. N., 1169A
Raj, T. F. S. See Sastry, S. S., 1607B
Ram, R. N. See Gokak, D. T., 1523A
Ramelow, U.
—; Baysal, B. M.: ESR Study and Copolymer Analysis of Acrylamide-Methacrylamide Solid Solutions, 937A
Rånby, B. See Lucki, J., 1067B
Rao, M. B. See Kale, V., 1517B
Rao, S. V. See Kale, V., 1517B
Raval, D. K.
—; Patel, R. G., Patel, V. S.: Grafting of Methyl Methacrylate onto Guar Gum By Hydrogen Peroxide Initiation, 2201A
Ravindran, T.
—; Nayar, M. R. Gopinathan, Francis, D. J.: Production of Hydroxyl-Terminated Liquid Natural Rubber—Mechanism of Photochemical Depolymerization and Hydroxylation, 1227A
Ray, P. K. See Sen, K. K., 1601B
Ray, S. S.
—; Kundu, A. K., Maiti, S.: Polymers from Renewable Resources. XII. Structure Property Relation in Polyamideimides from Rosin, 1283B
Razzak, M. T.
—; Otsuhata, K., Tabata, Y., Ohashi, F., Takeuchi, A.: Modification of Natural Rubber Tubes for Biomaterials. I. Radiation-Induced Grafting of *N,N*-Dimethyl Acrylamide onto Natural Rubber Tubes, 645B
Reichert, W. M. See Ives, J. T., 429B
Reimschuessel, A. C. See Khanna, Y. P., 2259A
Rho, M. K. See Chien, J. C. W., 1387B
Rials, T. G.
—; Glasser, W. G.: Thermal and Dynamic Mechanical Properties in Hydroxypropyl Cellulose Films, 749B
Ridgway, J. S.
Nylon 6,6 Copolyamides of Bis(2-Carboxyethyl) Methylphosphine Oxide, 215A
Rigdahl, M. See Flink, P., 2155A
—; See Hagström, B., 1375B
Robeson, L. M. See Harris, J. E., 1877A
Rodriguez, F. See Krasicky, P. D., 641A
Roland, C. M.
—; Nguyen, M.: Improved Dispersive Mixing through Reduction in Flow Field Vorticity, 2141A
Rollings, J. E. See Weaver, L., 1631A
—; See Yu, L.-P., 1085A
Rosovizky, V. F. See Lipatov, Yu. S., 1143B
Rubin, I. D.
On Crystallization of Comblike Polymethacrylates, 445B
Ruckenstein, E.
—; Kim, K.-J.: Polymerization in Gel-Like Emulsions, 907B

Saad, A. L. See Hakim, I. K., 1123A
Sabatelli, D. C. See Frushour, B. G., 1453B
Sada, E.
—; Kumazawa, H., Xu, P.: Sorption and Diffusion of Carbon Dioxide in Polyimide Films, 1497A
Saha, S. C. See Sen, K. K., 1601B
Sakata, J.
—; Wada, M.: Preparation of Ion Exchange Membranes by Plasma Polymerization. I, 875A
Sakurada, I. See Hayashi, K., 295B
Salovey, R. See Wang, X.-Y., 2165A
Saltzman, W. M. See Mathiowitz, E., 755A
Sanui, K. See Yoshikawa, M., 145A
Sanyal, S. K. See Pal, S. K., 973A
Sarhan, A. A. See Abdel-Bary, E. M., 439A
Sarkar, S.
—; Adhikari, M. S., Banerjee, M., Konar, R. S.: Persulfate Initiated Aqueous Polymerization of Acrylonitrile at 50°C in an Inert Atmosphere of Nitrogen Gas, 1865B
—; Thermal Decomposition of Potassium Persulfate in Aqueous Solution at 50°C in an Inert Atmosphere of Nitrogen in the Presence of Acrylonitrile Monomer, 1441A
Sastry, S. S.
—; Satyanandam, G., Raj, T. F. S., Vasanthakumari, R.: Effect of Fillers on Electrical Properties of Epoxy Composites, 1607B
Satyanandam, G. See Sastry, S. S., 1607B
Scala, L. C. See Lin, F.-M. C., 1377A
—; See Zussman, M. P., 2183A
Schenk, H. See Kilian, H. G., 345A
Schurz, J. See Lenz, J., 1987A
Schwald, W.
—; Bobleter, O.: Characterization of Nonderivatized Cellulose by Gel Permeation Chromatography, 1937A
Schwarz, M. C.
—; Barlow, J. W., Paul, D. R.: Mechanical Properties of HDPE/(PEC/PS)/SEBS Blends, 2053A
—; Keskkula, H., Barlow, J. W., and Paul, D. R.: Deformation Behavior of HDPE/(PEC/PS)/SEBS Blends, 653A
Scilla, G. J. See Goldblatt, R. D., 2075A
Sefton, M. V. See Stevenson, W. T. K., 1541B
Sen, A. K.
—; Kumar, Ramesh: Study of the Change of Crystallinity of Polyethylene on Oxidation by Inverse Phase Gas Chromatography, 205B
Sen, K. K.
—; Saha, S. C., Mojumder, P., Ray, P. K.: Some Physical Properties of Alkali-treated Bhindi Fiber (*Hibiscus esculentus linn.*), 1601B

Senō, M. See Hirotsu, T., 1741B
—; See Howang, K. T., 1925B
Seo, T.
—; Kanbara, T., Iijima, T.: Sorption of Methyl Orange by Chitosan Gels Having Hydrophobic Groups, 1443B
Seves, A. See Dubini-Paglia E., 635B
Sfyrakis, J. See Simitzis, J., 1769B
Shaaban, A. F.
—; Mahmoud, A. A., Messiha, N. N.: Organotin Polymers. XII. Azeotropy in Binary and Ternary Copolymerization Reactions of Di(tri-*n*-Butyltin) Itaconate with Acrylic Acid Esters, Styrene, and Acrylonitrile, 1191B
Sharma, A. K.
—; Hahn, A. W., Nichols, M. F.: Optimizing Poly(chloro-*p*-Xylylene) or Parylene C Synthesis, 1555B
Shibamoto, A. See Demura, M., 535B
Shimada, H. See Miyama, H., 115A
Shingankuli, V. L.
—; Jog, J. P., Nadkarni, V. M.: Thermal and Crystallization Behavior of Engineering Polyblends. I. Glass Reinforced Polyphenylene Sulfide with Polyethylene Terephthalate, 335B
Shinke, Y. See Matsuzawa, S., 391A
Shiomi, T. See Imai, K., 1817A
Shiota, T. See Itoh, M., 1417B
Shu, W.-J. See Chiang, W.-Y., 1889B
Shyu, G.-D. See Chiu, W.-Y., 847A
Siano, D. B. See Eustace, D. J., 707A
Siemon, J. T. See Meier, J. F., 251B
Simitzis, J.
—; Sfyrakis, J.: Production of Carbonaceous Adsorbents by Using Novolac-Resin and Cottonseed, 1769B
Šimkovic, I.
—; Varhegyi, G., Antal, M. J. Jr., Ebringerova, A., Szekely, T., Szabo, P.: Thermogravimetric/Mass Spectrometric Characterization of the Thermal Decomposition of (4-O-Methyl-D-Glucurono)-D-Xylan, 721B
Singh, R. P. See Malhotra, J. P., 837B
Sinha, B. K. See Panda, R. B., 2193A
Smith, B. A. See Limm, W., 2099A
Sójka-Ledakowicz, J. See Okoniewski, M., 1241A
Soto, E. See Gargallo, L., 1103A
Sourirajan, S. See Lui, A., 1809B
Spruiell, J. E. See Zieminski, K. F., 2223A
Stanley, T. J. See Alger, M. M., 1501B
Stanton, D. See Limm, W., 2099A
Starks, A. See Winkler, D. A., 51A
St. Clair, T. L. See Hou, T. H., 1731B
Stein, J.
—; Prutzman, L. C.: Stress Relaxation Studies of Model Silicone RTV Networks, 511B
Stejskal, J.
—; Straková, D., Kratochvíl, P.: Grafting of Gelatin during Polymerization of Methyl Methacrylate in Aqueous Medium, 215B
Stenberg, B. See Flink, P., 2155A
Stevenson, W. T. K.
—; Sefton, M. V.: The Equilibrium Water Content of Some Thermoplastic Hydroxyalkyl Methacrylate Polymers, 1541B
Stille, J. K. See Stoessel, S., 1847B
Stoessel, S.
—; Takeichi, T., Stille, J. K., Alston, W. B.: High-Performance Composites from Polyimide Matrix Resins that Utilize a Cross Linking Reaction of Biphenylene End-Caps with Acetylene Units in the Main Chain, 1847B
Straková, D. See Stejskal, J., 215B
Subramaniam, V.
—; Muthukrishnan, P., Naik, D.: Setting and Torsional Recovery of Nylon Monofilament and its Relation to Structure, 1981A
Sugasaka, K. See Hirotsu, T., 1741B
Sugii, A. See Ogawa, N., 1283A
Suprunchuk, T. See Day, M., 529A, 1097B
Suto, S.
—; Ohshiro, M., Nishibori, W., Tomita, H., Karasawa, M.: Rheological Properties of Liquid Crystalline Solutions of Ethyl Celluloses with Different Molecular Weight in *m*-Cresol, 407A
Suwanda, D.
—; Lew, R., Balke, S. T.: Reactive Extrusion of Polypropylene I: Controlled Degradation, 1019A
—; Lew, R., Balke, S. T.: Reactive Extrusion of Polypropylene II: Degradation Kinetic Modeling, 1033A
—; See Lew, R., 1049A, 1065A
Szabo, P. See Simkovic, I., 721B
Szekely, T. See Simkovic, I., 721B
Szőcs, F. See Hloušková, Z., 1245B
Szubińska, S. See Podkościelny, W., 85A, 1853A

Tabata, Y. See Razzak, M. T., 645B
Tagle, L. H. See Gargallo, L., 1103A
Takada, M. See Imai, K., 1817A
Takagishi, K. See Uehara, K., 1759A
Takahashi, H.
—; Matsuoka, T., Ohta, T., Fukumori, K., Kurauchi, T., Kamigaito, O.: Enhanced Compatibility of SAN and PC in their Blends Exposed to Extremely High Shear Field, 1821B
Takahashi, S.
—; Okoshi, N., Matsumoto, T., Ikeda, T.: Viscoelastic Properties and Coating Performance of Acrylic Copolymers Crosslinked with Melamine Resin, 613B
Takai, N. See Hirotsu, T., 1741B
Takeda, S.
—; Kakiuchi, H.: Toughening Bismaleimide Resins by Reactive Liquid Rubbers, 1351A
—; Akiyama, H., Kakiuchi, H.: Synthesis and Properties of Bismaleimide Resins Containing Ether Bonds, 1341A
Takeichi, T. See Stoessel, S., 1847B
Takeuchi, A. See Razzak, Mirzan T., 645B
Takeyama, K. See Yamaura, K., 957B
Takezaki, J. See Hayashi, K., 295B
Takizawa, A. See Hachisuka, H., 1333A
Takuma, S. See Morooka, T., 717A
Talbot, F. D. F. See Lui, A., 1809B
Tanaka, K. See Miyama, H., 925B
Tanaka, M. See Uehara, K., 1759A
Tanigami, T. See Yamaura, K., 593A, 957B, 1621A, 1707B
Tanzawa, H. See Miyama, H., 925B
Taskier, H. T. See Kuder, J. E., 1257A
Taufik, S. Y. See Nosseir, M. H., 75A
Taylor, L. T. See Bott, R. H., 1295B
Tezuka, Y. See Imai, K., 1817A
Thomas, E. L. See Néhmé, O. A., 1955A
Thompson, S. A.
—; Farris, R. J.: A Novel Method for Crosslinking Polyetheretherketone, 1113B
Ting, H.-Y. See Ko, T.-H., 631A, 863A
Titomanlio, G.
—; Piccarolo, S., Levati, G.: On the Packing–Holding Flow in the Injection Molding of Thermoplastic Polymers, 1483A
Tomita, H. See Suto, S., 407A
Tong, S.-N. See Liao, F.-H., 797A
Törnell, B.
—; Uustalu, J.: Formation of Primary Particles in Vinyl Chloride Polymerization, 63A
Torres-Filho, A.
—; Perondi, L. F., Miranda, L. C. M.: Photoacoustic Monitoring of Adhesive Curing, 103A
Trask, C. A. See Holmes, B. S., 1399A
Trask-Morrell, B. J.
—; Kottes Andrews, B. A.: Common Thermoanalytical Characteristics of Durable Press Reactants Based on Cyclic Ureas, 229A
Tsubaki, M. See Higuchi, A., 1753B
Tsuda, K. See Yamashita, K., 465A
Tsujita, Y. See Hachisuka, H., 1333A

Tsukada, M.
Structural Characteristics of 2-Hydroxyethylmethacrylate (HEMA)/Methacrylamide (MAA)-Grafted Silk Fibers, 2133A
Studies on Some Physical Properties and Structural Characteristics of Methyl Methacrylate-Grafted Silk Fiber, 965A
Tuinstra, H. E. See Chamberlin, T. A., 1667A
Turner, R. B. See Armistead, J. P., 601A

Udipi, K.
Particulate Rubber Modified Nylon 6 RIM, 117B
Uebner, M.
—; Ng, K. M.: Electrodeposition of Polyimides from Nonaqueous Emulsions, 1525B
Ueda, A. See Inoue, H., 2039A
Uehara, K.
—; Takagishi, K., Tanaka, M.: Photovoltaic Effect Based on Wet Poly(vinyl Alcohol)/Merocyanine Dye Junction, 1759A
Uemura, K. See Nakayama, M., 1617B
Ugbolue, S. C. O.
—; Ekpenyon, O. E.: The Dyeability and Properties of Some Structurally Modified Poly(Ethylene Terephthalate) Filaments, 1627B
Uhlmann, D. R. See Di Filippo, G. V., 485A
Uliana, C. See Vigo, F., 1893A
Uryu, T. See Ando, M., 397A
Uustalu, J. See Törnell, B., 63A
Uyama, Y.
—; Ikada, Y.: Graft Polymerization of Acrylamide onto UV-Irradiated Films, 1087B

Vaidya, U. R.
—; Nadkarni, V. M.: Polyester Polyols for Polyurethanes from PET Waste: Kinetics of Polycondensation, 775A
Vanderhoff, J. W. See Kim, J. H., 2117A
Vander Sande, J. B. See Di Filippo, G. V., 485A
Vanlautem, N. See David, C., 29B
Vargas, H. See Ganzarolli De Oliveira, M., 1791A
Varhegyi, G. See Simkovic, I., 721B
Vasanthakumari, R. See Sastry, S. S., 1607B
Vassileva, St. See Natov, M., 1161A
Vedanayagam, H. S. See Kale, V., 1517B
Vela Estrada, J. M.
—; Hsu, C. C., Bacon, D. W.: Modeling of Butadiene Polymerization Using Cobalt Octoate/DEAC/Water Catalyst, 655
Verdu, J. See Bellenger, V., 563A
Vernekar, S. P.
—; Ghatge, N. D., Wadgaonkar, P. P.: Isocyanate-Terminated Polybutadiene Prepolymers: Synthesis, Characterization, and End-Group Modifications, 1433B
Vicini, L. See Dubini-Paglia E., 635B
Vigo, F.
—; Uliana, C.: Grafting of Vinyl Acetate onto Poly(vinyl Chloride) in Solution, 1893A
Vickers, M. E. See Kwack, T. H., 363A
Vincenz, A. See Zussman, M. P., 2183A
Vratsanos, M. S.
—; Farris, R. J.: A Method for Calculating Dynamic Mechanical Properties Using Fourier Transforms of Pulse Deformation Experiments, 403B
Vrentas, J. S.
—; Hu, A.-C.: History Dependence of Diffusion Coefficients for Glassy Polymer–Penetrant Systems, 1933B

Wackernie, P. See Gueugnaut, D., 1683A
Wada, M. See Sakata, J., 875A
Wadgaonkar, P. P. See Vernekar, S. P., 1433B
Wagner, H. L.
—; Dillon, J. G.: Viscosity and Molecular Weight Distribution of Ultrahigh Molecular Weight Polyethylene Using a High Temperature Low Shear Rate Rotational Viscometer, 567B
Wakelyn, N. T. See Hou, T. H., 1731B
Wakino, T. See Fujiyama, M., 29A, 985B, 995B, 1011B, 1025B, 1035B, 1049B, 1061B
Wang, X.-Y.
—; Li, S.-Y., Salovey, R.: Processing of Ultrahigh Molecular Weight Polyethylene, 2165A
Ward, T. C. See Bott, R. H., 1295B
—; See Kelley, S. S., 759B
Watanabe, K. See Otsubo, Y., 1651A
Watanabe, Y. See Lucki, J., 1067B
Wdowicka, D. See Podkościelny, W., 1779A
Weaver, L.
—; Yu, L. P., Rollings, J. E.: Weighted Intrinsic Viscosity Relationships for Polysaccharide Mixtures in Dilute Aqueous Solutions, 1631A
Westerlind, B. See Flink, P., 2155A
Westerlind, B. S.
—; Berg, J. C.: Surface Energy of Untreated and Surface-Modified Cellulose Fibers, 523B
Widmaier, J. M. See Nevissas, V., 1467B
Wiles, D. M. See Day, M., 1097B
Wilkes, G. L. See Armistead, J. P., 601A
Williams, D. J. See Nelson, A., 243B
Windle, A. H. See Brown, D. J., 279A
Winkler, D. A.
—; Starks, A.: The Non-Fickian Diffusion of Deterrents into a Nitrocellulose-Based Propellant, 51A
Winnik, F. M. See Paine, A. J., 1205B
Winnik, M. A. See Limm, W., 2099A
Winter, W. T. See Kwak, Y. T., 2091A
Włodarczak, D.
Studies of Temperature and Atmosphere Composition Influence on Thermal Degradation Products of Polyurethane Foam, 377B
Wolf, C. J. See Pao, P. S., 727A
Wood, S. See Zussman, M. P., 2183A
Wrentschur, E. See Lenz, J., 1987A
Wu, R. See Leung, W. P., 1305B
Wu, S.
A Generalized Criterion for Rubber Toughening: The Critical Matrix Ligament Thickness, 549A
Wu, S. J. See Dietrich, B. K., 1129B
Wydeven, T. See Lerner, N. R., 1903A

Xu, C. See Leung, W. P., 1305B
Xu, P. See Sada, E., 1497A
Xu, Y. F.
—; Huang, R. Y. M.: Pervaporation Separation of Ethanol-Water Mixtures Using Ionically Crosslinked Blended Polyacrylic Acid (PAA)-Nylon 6 Membranes, 1121B
—; See Huang, R. Y. M., 1191A

Yamada, S. See Matsuzawa, S., 391A
Yamada, T. See Morooka, T., 717A
Yamasaki, H. See Nabata, Y., 155A
Yamashita, K.
—; Nakano, A., Tsuda, K.: Preparation of Photoresist Polymer by a Photoreactive Monomer Containing *N,N*-Diethyldithiocarbamate Group, 465A
Yamashita, S.
—; Itoi, M., Kohjiya, S., Kidera, A.: Synthesis and Properties of Elastomeric Ionenes. I. Polybutadiene Ionenes, 1927A
Yamaura, K.
—; Daimoh, M., Tanigami, T., Matsuzawa, S.: Mechanical Denaturation of High Polymers in Solutions. XXXIX. Flow-induced Crystallization of High Molecular Weight Syndiotactic-Rich Poly(vinyl Alcohol), 1707B
—; Hayakawa, A., Tanigami, T., Matsuzawa, S.: Properties of Syndiotactic-Rich Poly(vinyl Alcohol) Thin Films in Water. VI. Elastic Behavior of Undrawn/Annealed Thin Films

by Repeated Elongation/Contraction in Water, 1621A
—; Masuzawa, T., Tanigami, T., Matsuzawa, S.: Properties of Syndiotactic-Rich Poly(vinyl Alcohol) Thin Film in Water. V. Effect of Initial Temperature of Heating on Elongation, 593A
—; Takeyama, K., Tanigami, T., Matsuzawa, S.: Operation of Polymer Chains in Films of Syndiotactic-Rich Poly(vinyl Alcohol), 957B
—; See Matsuzawa, S., 391A, 1661A
Yamaye, M. See Kito, T., 1593A
Yang, C.-P.
—; Chen, W.-T.: Effects of Brominated Flame Retardants and Crosslinking Agents on the Flame Retardancy of Rubbers, 963B
—; Hsiao, S.-H.: Flameproofed Polyesters Prepared by Direct Polycondensation of Aromatic Dicarboxylic Acids and Brominated Bisphenols with Tosyl Chloride and *N,N'*-Dimethylformamide in Pyridine, 1221B
—; Lee, L.-T.: Infrared Spectral Study on the Heat Curing Reaction of Glycerin-Terminated Urethane Prepolymers, 449A
Yang, W.-D. See Chiang, W.-Y., 807A
Yang, Y. S.
—; Lee, L.: Comparison of Thermal and Infrared Spectroscopic Analyses in the Formation of Polyurethane, Unsaturated Polyester, and Their Blends, 1325B
—; See Hsiue, G.-H., 1701A
Yilmaz, L.
—; McHugh, A. J.: Modeling of Asymmetric Membrane Formation. II. The Effects of Surface Boundary Conditions, 1967A
Yokono, H. See Nate, K., 913A
Yoo, Y. D.
—; Kim, S. C.: Thermal Properties of Liquid Crystalline Aromatic Random Copolyesters Containing Two Different Mesogenic Modifications within a Polymer Backbone, 1201A
Yoshikawa, M.
—; Ezaki, T., Sanui, K., Ogata, N.: Selective Permeation of Carbon Dioxide through Synthetic Polymer Membranes Having Pyridine Moiety as a Fixed Carrier, 145A
Yoshinaga, K. See Kito, T., 1593A
Yu, L.-P.
—; Rollings, J. E.: Quantitative Branching of Linear and Branched Polysaccharide Mixtures by Size Exclusion Chromatography and On-Line Low-Angle Laser Light Scattering Detection, 1085A
—; See Weaver, L., 1631A

Zachariades, A. E.
—; Kanamoto, T.: New Model for the High Modulus and Strength Performance of Ultradrawn Polyethylenes, 1265A
Zieminski, K. F.
—; Spruiell, J. E.: On-Line Studies and Computer Simulation of the Melt Spinning of Nylon-66 Filaments, 2223A
Zinbo, M. See Golovoy, A., 2001A
Zussman, M. P.
—; Wood, S., Scala, L. C., Bartko, J., Vincenz, A.: Modification of Polyimide Coatings by High Energy Ion Bombardment, 2183A

Subject Index to Volumes 35 and 36

Please note that A refers to Volume 35 and B refers to Volume 36.

Acetophenones, 1537A
Acid catalysts, 2117A
Acid rain, 1817A
Acrylamide, 177B, 1087B
—, grafting, 1169A
Acrylamide-methacrylamide solid solutions, 937A
Acrylamide polymers, 1603A
Acrylate dispersions, 1A
Acrylates, viscoelastic properties, 717A
Acrylic acid, 177B
Acrylic coatings, 613B
Acrylic lacquers, 141B
Acrylonitrile (AN), 1865B
Acrylonitrile monomer, 1441A
Adhesive curing, 103A
Adsorbents, 891B
Agar–agar hydrogel, 1673B
—, irradiation, 1673B
Aldehyde copolymer resists, 913A
Aldehydes, 885A
Aldehydocelluloses, preparation, 885A
Aliphatic acid dichlorides, 1779A, 1853A
Aliphatic amines, 1367A
Alkalinization, 1A
Alkyd resin, 1781B
Alkyl acrylates, radiation-induced polymerization, 295B
Allylated celluloses, 1107B
α-olefin polymerization, 321A
α-PClAN-grafted carbon black compositions, 127A
Amidoxime polymers, 1741B
Anions, 1255B
Anthraquinone dyes, 1205B
Aromatic polyimides, 695A
Arylamide, 1087B
Asbestos, 309B
Asbestos epoxy composites, pretreatment procedures, 309B
Azo dyes, 635B

Bagasse pith, 43B
Ballistic performance, 51A
Benoit's universal calibration technique, 1667A
Benzimidazole, 243B
Benzophenone–tetrahydrofuran initiation system, 391A
Bhindi fiber, 1601B
Biaxially oriented polypropylene (BOP) film, 985B, 995, 1011B, 1025B, 1049B, 1061B,
—, roughness, 1034B
Bifunctional initiators, 1547A
Biomaterials, 645B
Bis(diisopropyl) thiophosphoryl disulfide (DIPDIS), reaction with silica, 987A
Bismaleimide resins, 1341A, 1351A
Blend–cure process, 2211A
Block copolymers, 2039A
Breakaway friction coefficient, 251B
Bulk polymers, 2075A
Bulk styrene polymerization, 1547A
Butadiene, solution polymerization, 655B
Butyl rubber mixtures, 1123A

Cage effect, 1303A
Capillary die, 847A
Caprolactam, 117B, 165B
Carbohydrates, reactive, 191B
Carbonaceous adsorptive media, 1769B
Carbon black, 127A
Carbon dioxide, selective permeation, 145A
Carbon films, 1149A
Carboxymethyl cellulose (CMC), 191B
Cation exchange membrane, 829B
CCS model, 1303A
Cells, photovoltaic, 1235B
Cellulases, 29B
Cellulose, 1937A, 29B, 523B,
—, crystallization, 2085A
Cellulose acetate membranes, 1809A
Cellulose degradation, 1475B
Cellulose derivatives, 1107B
Cellulose I, 1987A
Cellulose II, 1987A
Cellulose crystals, morphology, 2085A
Cellulose fibers, 2155A
Cellulosic fibers, 1987A
Charged ultrafiltration membrane, 925B
Charring processes, 1213A
Chelating resin, 1617B
Chelation, 1695A
Chemical initiation, 87B
Chemical oxidative polymerization, 1639B
Chitosan, 1443B
^{13}C nuclear magnetic resonance, 825A
CO_2 sorption, 1715A
Coagulum, 583A
Cobalt octoate/DEAC/water, used as catalyst, 655B
Coconut fiber, radiation-treated, 573A
Colloidal gold particles, 269B
Comblike polymethacrylates, crystallization, 445B
Composites, graphite-reinforced, 1847B
Compression molding, 2165A
Copolyesters, 1201A
Copolymer analysis, 937A
—, composition, determination, 1909B
Copolymer degradation, 1583B
Copolymers, mechanical properties, 7A
—, phosphorus-containing, 831A
—, rheological properties, 7A
Copolymer-type polyacetals (POM), 1685B
Cotton fibers, 1701B
Cotton/polyester blends, 2069A
Cottonseed, pressed, 1769B
Creep measurements, 353B
Crosslinked polyurethane, 449A
Crosslinking, 1705A, 1113B, 1121B, 1617B,
Crosslinking agents, 1705A
Crystalline structural changes, 1731B
Crystal nucleator, 1025B
Cured silicone network, 511B
Cyclic ureas, 229A

Degradation, polyesters, 1677B
Deterrents, non-Fickian diffusion, 51A
Dibenzylidene sorbitol, as nucleating agent, 387B
Dielectric loss data, 679A
Dielectric spectroscopy, 679A
Die swell, 847A
Differential scanning calorimetry, 2259A
Differential scanning calorimetry (DSC), 749B, 1097B, 1325B, 1453B

Diffusion coefficients, 1933B
Dilatometry, 653A
Direct pyrolysis mass spectrometric technique, 537A
Dispersive mixing, 2141A
DSC cell, heat flow measurement, 1453B
--, light transmission measurement, 1453B
DSC thermograms, 2091A
Durable press reactants, 229A
Dye-fiber bonds, 1627B
Dyes, adsorption, 43B
Dynamic curing, 2211A
Dynamic mechanical properties, calculation, 403B
Dynamic mechanical thermal analysis (DMTA), 749B

Elastic polymers, 1593A
Elastomeric ionenes, 1927A
Elastomers, 1803A, 251B
—, thermal properties, 1803A
Electrical conductivity measurements, 475A
Electrodeposition, 1525B
Electron beam (EB) polymerization, 397A
Emulsion polymerization, 583A, 2009A, 2023A, 907B, 1129B,
Emulsion polymerization kinetics, 2009A, 2023A
Emulsion terpolymerization, 1409A
Enzymes, 135A
EPDM/PP/HDPE ternary blends, 2211A
Epoxide–amine stoichiometric networks, 563A
Epoxy-based resins, 103A
Epoxy composites, 1607B
—, effect of fillers, 1607B
Epoxy resin composites, 1251A
Epoxy resins, 485A, 797A, 1367A
Equilibrium water content (EWC), 1541B
ESR spectroscopy, 1245B
Ethanol-permselective membranes, 1717B
Ethanol–water mixtures, 1121B
Ether bonds, 1341A
Ethyl cellulose, 407A
Ethylenediamine cobalt chloride, preparation, 1523A
Eucalyptus wood, 29B
Exotherm, 2091A

Fabrics, flame retardant, 529A
Far infrared (FIR) birefringence, 1567B
Fatty polyamides, 1517B
Fiber properties, 965A
Fiber spinning, 805B
Fibers, 1987A, 1177B
—, cellulose, 523B
—, natural, 973A
—, nonburning, 863A
—, stabilized, 863A
—, synthetic, 953A
Field-flow fractionation (FFF), 703B
Films, extruded, 877B
Finely porous model, 1129A
Flame-resistant polymers, 215A
Flame retardants, 963B
Flame retardation, 529A
Flexible polyurethane foams, 601A
Flow-induced crystallization, 1707B
Fluid polymeric matrices, 635B
Fluorescence quenching technique, 2099A
Fluorinated aromatic polyimides, 1833B
Fourier transforms, 403B
Free-radical polymerization, 1303A
Free volume diffusion theory, 923A

Gas permeability, 1925B
Gas–polymer mixtures, 583B
Gas separation, 517A
Gas separation membrane, 1833B
Gas sorption, 1497A
Gas transport, 517A
Gelatin, 215B
Gel effect, 1303A
Gel permeation chromatography (GPC), 1937A, 1781B
Glass effect, 1303A
Glass fiber blends, 335B
Glass transition temperature, 311A
Glassy polymer films, 641A
Glassy polymer–penetrant systems, 1933B
Glassy polymers, 485A
Glucose oxidase, 743A
Glycerin-terminated urethane prepolymers, 449A
Glycine cobalt chloride, preparation, 1523A
Graft copolymerization, 439A, 1241A, 2201A, 215B
Grafting, 1169A, 1893A
—, xanthate method, 1343B
Graft polymerization, 1087B, 1651B
—, radiation-induced, 55B, 63B
Guar gum, 1169A
Gun propellants, burning rate, 51A

Hard paint films, electron beam-cured, 1417B
HDPE/(PEC/PS)/SEBS blends, 2053A
—, deformation behavior, 653A
Heavy metal ions, 1695A
HEMA/MMA-grafted silk fibers, 2133A
Hemicellulose, 1937A
High density polyethylene (HDPE), 1161A
High density polyethylene (HDPE) blends, 2053A
High-impact polystyrene (HIPS), 1151B
High isocyanate content polymers, 1909B
High peel energies, 279A
High shear rate processing, 1821B
High-speed melt-spinning technology, 2223A
Hindered piperidin (HALS), 1067B
Homopolymerization, 481B
Homopolymers, phosphorus-containing, 831A
Hot nip drawing process, 899B
Hydrodynamic chromatography (HDC), 935B
Hydrogel chemistry, 1541B
Hydrogels, 735B
Hydrogen peroxide initiation, 2201A
Hydrolyzed polyethylene-*g*-co-2-HEMA, immobilization, 135A
Hydroxypropyl cellulose (HPC) films, 749B
Hydroxypropyl lignin (HPL), 759B

Image analysis system, 1151B
Infrared (IR) spectroscopy, 279B, 1325B
Injection-molded polypropylene, 29A
Injection molding tests, 1483A
Internetwork grafting, 1467B
Interpenetrating polymer network (IPN), 1143B, 1157B,
—, viscoelasticity, 1143B
Interpenetrating polymer networks (IPNs), 1399A, 365B, 1467B
Inverse-phase gas chromatography, 205B
Ion beams, 2183A
Ion exchange membranes, 875A
Ion exchange resins, 891B
Ion transport membrane complexes, 259A
Isocyanate-terminated polybutadienes, 1433B
Isotactic polypropylene, 1459A

Ketones, 1877B
Kraft lignins, 247A

LaRC-TPI powder, crystallization, 321B
—, polymerization, 321B
LaRC-TPI powders, 1731B
Laser interferometry, 641A
Latex particles, 743A
Latex viscosity, 1409A
Light scattering, 1377A
Lignins, 759B

Lignocellulosic fibers, 1601B
Lignocellulosic materials, 1909A
Linear aromatic polyamides, 1731B
Linear low-density polyethylene (LLDPE), 1305B
Linear polyesters, 1705A, 1779A
—, postcrosslinking, 1667B
Linear polyethylene, 1305B
Linear polythioesters, 85A, 1853A
Liquid phase system, 1473A
Low-angle laser light scattering photometry, 1693A
Low-density polyethylene (LDPE), 363A
Low-density polyethylene (LDPE) film, 55B, 63B
Low melting point polymers, 1061B

Macromolecules, 599B
Mass spectrometry, 537A
Matrix ligament thickness, 549A
m-cresol, 407A
Melamine, 1B
Melamine–oxytriazine resins, 1B
Melamine resin, 613B
Melt flow history, 859B
Melt flow index (MFI), 1011B
Melt spinning, 953A
Membrane casting systems, 1769A
Membrane formation, 1967A
Membrane separation process, 1191A
Mercaptans, 1129B
Mesogens, low molecular weight, 1201A
Methoxypoly(ethylene glycohol) methacrylate, graft copolymerization, 115A
Methylene chloride sorption, 21A
Methyl methacrylate (MMA), 299A, 311A, 2247A, 11B,
—, graft copolymerization, 2201A
—, polymerization, 2193A, 215B
—, polymerization, micellar phase, 2193A
—, radiation-induced polymerization, 295B
Methyl methacrylate-grafted silk fibers, 965A
Methyl orange, 1443B
Mica, 467B
Microdielectrometry, 1399A
Microporous films, 1257A
Mixed metal alkyl cocatalysts, 321A
Molecular parameters, 1631A
Molecular size, measurement, 935B
Molecular weight distribution (MWD), 167A, 481B
Molecular weight, measurement, 935B
Molten polymers, 2259A
Molybdenum, stress–relaxation behavior, 1375B
Monolayer cast sheet, 1049B
Monomers, 1421A, 1433A, 2009A, 2023A
Mullins softening, 345A

Natural rubber (NR), 2155A, 645B
—, epoxidation, 105B
—, tubes, blood compatibility, 645B
—, vulcanization, 987A
Nitrocellulose (NC) propellant, 51A
Nitrogen gas, 1865B
Nitrogen separation, 1333A
NMR spectral data, 1639A
Nonaqueous emulsions, 1525B
Novolac resin, 1769B
50/50 NR/SBR blend, vulcanizate properties, 1003A
Nuclear magnetic resonance (NMR) characterization, 229B
Nuclear magnetic resonance spectroscopy (NMR), 2089A
Nucleating agent, 387B
N-vinyl-2-pyrrolidone (NVP), 733A
NVP-PDE copolymers, 2173A
—, thermal behavior, 2173A
Nylon 4 membranes, 87B
Nylon 6, 117B, 165B, 495B, 1799B
Nylon 612 copolymers, 495B
Nylon 6,6 copolyamides, 215A
Nylon-66 filaments, melt spinning, 2223A
Nylon 6–glass fiber composites, 165B
Nylon, graft copolymerization, 87B
Nylon monofilament, 1981A

Oil recovery, 1583B
On-line low-angle laser light scattering detection, 1085A
Optical recording media, 1257A
Organic coatings, 141B
Organic thin film devices, 1759A
Organofunctional siloxanes, 11B
Orientation, 1567B
Oxygen index method, 1863A
Oxygen permeability, 11B
Oxygen separation, 1333A
Oxytriazine impurities, 1B
Ozone, 1067B
Ozonization, 885A
Ozonolysis, 105B

PAA-Nylon 6 membranes, 1191A
Packing density, 563A
Parylene C synthesis, 1555B
Parylenes®, 1555B
PBT/nylon 6,6 composites, 1955A
PC, 1821B
Peroxidase, 743A
Pervaporation, 1191A
Phase inversion process, 1967A
Phase transfer catalysts (PTC), 415B
Phenolic fiber-reinforced thermoplastics (FRTP), 773B
2-Phenyl-1,1-dicyanoethene (PDE), 733A
Photoacoustic (PA) spectroscopy, 103A, 1791A
Photografting, 1473A
Photoresist dissolution, 2099A
Photoresist polymers, 465A
Photosensitive monomers, 465A
Pin-desk tester, 73B
Plasma polymerization, 875A
Plasma proteins, 925B
Plasticization, 451B
Plastics, industrial, 773B
—, self-reinforced, 819B
Poly(1,5-hexadiene), 825A
Poly(2,6-dimethyl-1,4-phenylene oxide), chemical modification, 415B
Polyacetal/polyurethane blends, 1685B
Polyacrylic acid (PAA)–Nylon 6-blended membranes, 1121B
Polyacrylic acid (PAA)–Nylon 6 blends, 1799B
Poly(acrylic acid)–polyacrylamide–water ternary system, 707A
Polyacrylic latexes, 1409A
Polyacrylonitrile (PAN) fibers, thermal stabilization, 631A
Polyacrylonitrile (PAN), modification, 1659B
Polyalcohols, 1593A
Polyamic acids, 243B
Polyamidation reaction, 1517B
Polyamideimides, 1283B
Polyamide melt, 365B
Polyamides, fatty, 1517B
Polyanhydride microspheres, 755A
Polyarylate, 2001A
Polyarylate embrittlement, 2001A
Polyarylates, 1511A
Poly(aryl-ether-ether-ketone) (PEEK), 727A
—, thermal degradation, 1097B
Poly(aryl ether ketone)s, 1877A
Polyblends, crystallization behavior, 335B
—, thermal behavior, 335B
Polybutadiene ionenes (PBIs), 1927A
Polybutadienes, 1433B
Polybutadiene urethanes (PBUs), 1927A
Polychloroprene rubber, 507A
Polycondensation, 775A
Polydiitaconates, partial specific volume, 1495B
Polyelectrolyte complex, 1325A
Polyelectrolyte complexes (PEC), 259A

Polyester–aluminum–polyester laminates, 279A
Polyesteramide polyol, 973A
Polyester degradation, 1677B
Polyester fabric, 439A
Polyester fabrics, 1241A
Polyester fibers, 439A
Polyester–imide varnishes, 1433A
Polyester polyols, 775A
Polyester resins, 1421A, 1433A
—, properties, 75A
—, structure, 75A
Polyesters, 1157B
—, aromatic, 1221B
—, flameproof, 1221B
—, flammability, 1863A
Polyester varnishes, 1421A
Polyester waste, 1921A
Polyether block amide copolymers (PEBA), 787B
Polyetheretherketone (PEEK), crosslinking, 1113B
Polyetherimides, 1877A
Polyethers, 561B
—, electrical conductivity, 561B
Polyethylene, 1289A, 1791A, 1945A
—, crystallinity, 205B
—, fusion welding, 1683A
—, melt transcrystallization, 1945A
—, stress–relaxation behavior, 1375B
—, viscosity, 567B
Polyethylene fibers, 1945A
Polyethylene, fusion welding, 1683A
Polyethylene hollow fibers, 1183A
Polyethylenes, 1265A
Polyethylene terephthalate, 21A
Poly(ethylene terephthalate) (PET) blown film, 1725A
Poly(ethylene terephthalate) (PET), crystallization, 387B
Poly(ethylene terephthalate) (PET) filaments, 1627B
Polyethylene-welded assembly, 1683A
Polyethylenoxides, 635B
Polyimide coatings, 2183A
Polyimide films, 1497A
Polyimides, 1341A, 1525B, 1847B
—, amorphous, 451B
—, moisture-induced plasticization, 451B
Polyimide systems, 1295B
Polyimide thin films, 1149A
Polyimid resins, 485A
Polyisoimide prepolymers, 1295B
Polymer backbone, 1201A
Polymer beads, 1283A,
Polymer blends, 1661A, 1877A, 1955A
—, viscoelastic properties, 167A
Polymer chains, 957B
Polymer characterization, 703B
Polymer concrete (PC), creep measurements, 353B
—, technology, 353B
Polymer degradation, 1903A, 1921A
Polymer drag reduction, 837B
Polymer emulsions, 1377A
Polymer end-use properties, deterioration, 1677B
Polymer films, gases, 1501B
—, oxygen transport parameters, 1501B
Polymer fluid, 847A
Polymer fractionation, 703B
Polymer fracture, 1161A
Polymer latex dispersions, 1A
Polymer ligand, 1651B
Polymer membranes, 1333A
—, synthetic, 145A
Polymer mixtures, 1639A
Polymer morphology, 1459A
Polymer–polymer mixtures, 837B
Polymer/rubber blend, 549A
Polymerization kinetics, 1325B
Polymerization of monomer reactants (PMR) approach, 1847B
Polymers, degradation, 1289A
—, etch rate, 1903A
—, high isocyanate content, 1909B
—, mechanical denaturation, 1707B
—, memory effects, 2259A
—, thermal stability, 1283B
Polymer solutions, 923A
Polymer surfaces, preferential enrichment of chemistry, 1401B
Polymer thin film integrated optics, 429B
Polymer thin film waveguides, 429B
Polymethacrylates, 445B
Poly(o-alkylphenyl methacrylate)s, partial specific volume, 1495B
Polypivalolactone (PPL), mechanical properties, 675B
—, solvent resistance, 675B
Polypropylene (PP), 29A, 279B, 985B, 995B, 1011B, 1025B, 1034B, 1049B, 1061B, 1245B
—, degradation,1019A
—, degradation kinetic modeling, 1033A
—, quantitative size exclusion chromatography, 1049A, 1065A
—, reactive extrusion, 1019A, 1033A
Polypropylene composites, 807A
Polypropylene (PP) films, 899B
—, photostabilization, 1067B
Polypropylene (PP) stereoregularity, 279B
Polypropylene (PP) radicals, 1245B
Polypropylene systems, 467B
Polypyrrole films, 1639B
Polysaccharide mixtures, 1085A, 1631A
Poly(styrene-co-acrylonitrile) (SAN), rubber modified, 1563A
Polystyrene, surface properties, 2075A
Polystyrene waveguides, 429B
Polysulfone ultrafiltration hollow fibers, 1753B
Poly(thiocarbonates), solution properties, 1103A
Polythioesters, 85A
Polytrifluoropropylmethylsiloxane, 895A
Polyurethane (PU), 1685B
Polyurethane (PU) films, 759B
Polyurethane-based sealants, 247A
Polyurethane elastomers, 1803A
Polyurethane foam, 377B
—, thermal degradation products, 377B
Polyurethanes, 1157B, 1387B
Polyurethaneureas, dynamic properties, 1829A
—, thermal properties, 1829A
Poly(vinyl alcohol)/merocyanine dye junction, 1759A
Poly(vinyl alcohol) (PVA), 1621A, 1661A, 1817A, 957B
—, ketalization reaction, 1877B
Poly(vinyl alcohol) (PVA) graft terpolymers, 1497B
Poly(vinyl benzoate) (PVB), 1715A
Poly(vinyl chloride) (PVC), 1161A, 1893A
—, nonplasticized, 787A
—, plasticized, 787A
Poly(vinyl chloride) (PVC) film, 829B
Poly(vinylidene fluoride)/oligodimethylsiloxane blend membranes, 1925B
Poly(vinylidene fluoride) (PVF_2), processing property interactions, 859B, 877B
Pore size, 1809B
Potassium persulfate, 1441A
Primary particles, formation in vinyl chloride polymerization, 63A
Proteins, 979B
—, effect of radiation, 979B
Pulse deformation experiments, 403B
PVP iodine, 1235b
p-xylylene, 1555B
Pyromellitimide, 691B

Quaternary ammonium cellulose, 1255B
Quinazolone–imide copolymers, 695A

Radiation, 979B
Rayleigh factor, 1603A
Reaction injection molding (RIM), 117B, 495B
Recrystallization rate, 2259A
Resin–pigment interaction, 1781B

Resins, 1573A, 1B
—, laminating, 691B
—, synthetic, 1537A
Reverse osmosis (RO) membranes, 1129A
Reverse osmosis (RO) separations, 1129A
Rigid polyurethane foam, dynamic viscoelastic properties, 155A
Rocket insulator compound, 327A
Rosin, 1283B
Rubber, 1227A
—, flame retardancy, 963B
—, liquid, 1351A
—, natural, 545B
—, particle size distribution, 1151B
—, photochemical degradation, 1227A
—, synthetic, 327A, 963B
—, tensile rupture, 327A

SAN, 1821B
Sanchez-Lacombe equation of state, 583B
Scaling laws, 735B
SCE solid residues, 1909A
Self-developing soft X-ray resists, 913A
Self-reinforced plastics, 819B
Semibatch living-anionic polymerization, 481B
Semicrystalline polymers, 1567B
Silicone-PMMA block copolymers, 2039A
Silicone room temperature vulcanizing (RTV) elastomers, 511B
Silk, 2133A
Silk cloth, dyeing, 269B
Silk fibroin membrane, styrene grafted, 535B
Silk fibroins, 535B
Siloxane polymers, 1889B
Size exclusion chromatography, 1085A, 1667A
Slit die, 847A
Solar energy conversion, 1235B
Sol–gel transition, 979B
Sol-phase aqueous polymerization, 2247A
Solvents, 1701B
Sorption–desorption kinetics, 1325A
Spectral intensity, 1791A
Stainless steel/PTFE, friction, 73B
Starch/water systems, 2091A
Starch xanthide–NR vulcanizates, 545B
Stress relaxation, 995A
Styrene butadiene resins, 1205B
Styrene, emulsion polymerization, 1129B
—, polymerization, 829B, 907B
Sucrose, 2117A
Sulfonated polystyrene latex particles, 2117A
Sulfonation, 1753B
Sulfur dioxide, 1817A
Surface chemical phenomena, 1769A
Surface tension studies, 895A
Suspension polymerization, 129B
Syndiotactic-rich poly(vinyl alcohol) (*s*-PVA), 957B
Syndiotactic-rich poly(vinyl alcohol) thin film, 593A

Terpolymers, 299A, 311A
Textiles, 2069A
Thermal degradation, 377B
Thermal insulators, 155A
Thermodynamic models, 923A
Thermogravimetric/mass spectrometric (TG/MS) system, 721B
Thermoplastic elastomer, 995A
Thermoplastic elastomers (TPE), 1387B
Thermoplastic fibers, 1981A
Thermoplastic methacrylate polymers, 1541B
Thermoplastic polyesters, 1725A
Thermoplastic polymers, 1213A, 1483A
—, crosslinking, 2183A
Thermoplastics, 899B
—, radiation-treated, 573A
Thermotropic polyester carbonates, 805B, 819B
Thermo vulcanization, 507A
Thin polymer films, 2099A
Transition metal catalysts, 1183A
Trifluoropropylsiloxane polymers, density, 273A
—, thermal expansion, 273A
Tubular film blowing, 363A

Ultradrawn polyethylenes, 1265A
Ultrahigh molecular weight polyamide 6, 1177B
Ultrahigh molecular weight polyethylene (UHMWPE), 2165A, 567B
Ultraviolet (UV)-induced crosslinking agents, 1667B
Ultraviolet (UV) inks, 1651A
Ultraviolet (UV) radiation, 1087B
Undrawn/annealed thin films, 1621A
Uranium, adsorption rate, 1741B
—, recovery, 1617B
Urea–formaldehyde resins, 1573A
Urease, 1283A
Urethane acrylate, 1889B
Urethane–acrylate prepolymers, 397A

van der Waals treatment, 345A
Vinyl acetate, 1893A
Vinyl chloride, copolymerization, 7A
Vinyl chloride, polymerization, 129B
Vinyl chloride polymerization, 63A
Vinyl esters, 797A
Vinyl monomers, 391A
—, grafting, 1343B
Vinyl polymers, stereochemistry, 229B
Vorticity, 2141A
Vulcanizates, 345A

Wastewaters, treatment, 891B
Water absorption, 1511A
Water–ethanol permseparation, 177B, 1717B
Water-insoluble macromolecular complexes (MCs), 599B
Water-permselective membranes, 1717B
Water-wet reverse osmosis membrane, 1809B
White pigments, 1651A
Wilhelmy technique, 523B

Xanthan solutions, thermal aging, 1115A
Xanthate method, cellulose degradation, 1475B
Xanthate method of grafting, 1343B
X-ray photoelectron spectroscopy (ESCA), 1401B

Young's modulus, 787A

Zinc coordination complexes, 903A